

Page: 1 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號

AFA25405820 報告編號:// 報告日期: 2025/04/29

洗選蛋 產品名稱:

請參考報告頁樣品照片 **樣品包裝:**

樣品狀態/數量: 冷藏/1件

產品型號:

產品批號:

鼎泰豐小吃店股份有限公司 申請廠商:

新北市中和區立言街36號/(02)2226/7890/県泰豐小吃店股份有限公司 申請廠商地址/電話/聯絡人:

生產或供應廠商: 中一食品股份有限公司

2025/04/11 製造日期:

有效日期:


<u>原產地(國)</u>: 台灣


以上測試樣品及相關資訊係由申請廠商提供並確認。

2025/04/22 收樣日期:

2025/04/22 測試日期:

測試結果:







此報告是本<mark>公司依</mark>照背面所印之通用服務條款所簽發,此條款可在本公司網站 https://www.sqs.com.tw/Terms-and-Conditions 閱覽,凡電子文件之格式依 https://www.sgs.com.tw/Terms-and-Conditions 之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者,請注意 本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責,此文件不妨礙當事人在交易上權利之行使或義務之免除。未 經本公司事先書面同意,此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容,皆為不合法,違犯者可能遭受法律上最嚴厲之追訴。 除非另有說明,此報告結果僅對測試之樣品負責。

t (886-2) 2299-3939 f (886-2) 2299-1687

3F, 125, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, 248016, Taiwan / 248016 新北市五股區新北產業園區五工路 125 號 3 樓

台灣檢驗科技股份有限公司



Page: 2 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號

報告編號; AFA25405820 報告日期: 2025/04/29



測試項目	測試方法	測試結果	定量/偵測 極限(註3)	單位
★ 重金屬(蛋類)		VIII)		
★ 鉛	衛生福利部110年5月31日衛授食字第	未檢出	0.02	mg/kg
	1101901072號公告訂定蛋類中重金屬檢驗方			
★ 銅	法(MOHWH0027.00)	0.4	0.2	mg/kg
氯黴素類				
氯黴素	衛生福利部114年4月9日衛授食字第	未檢出	0.00015	ppm(mg/kg)
—————————————————————————————————————	1141900438號公告修正食品中動物用藥殘留	未檢出	0.005	ppm(mg/kg)
	量檢驗方法-氯黴素類抗生素之檢驗			
氟甲磺氯黴素胺 I	(MOHWV0043.02)	未檢出	0.005	ppm(mg/kg)
甲磺氯黴素		未檢出	0.005	ppm(mg/kg)
★ 四環黴素類				
★ 脫氧羥四環黴素	衛生福利部112年3月16日衛授食字第	未檢出	0.005	ppm(mg/kg)
★ 四環黴素	1121900098號公告修正食品中動物用藥殘留	未檢出	0.005	ppm(mg/kg)
★ 4-epimer-tetracycline	量檢驗方法 - 四環黴素類抗生素之檢驗	未檢出	0.005	ppm(mg/kg)
★ 氯四環黴素	(MOHWV0036.06)///2	未檢出	0.005	ppm(mg/kg)
★ 4-epimer-chlortetracycline		未檢出	0.005	ppm(mg/kg)
★ 羥四環黴素		未檢出	0.005	ppm(mg/kg)
★ 4-epimer-oxytetracycline		未檢出	0.005	ppm(mg/kg)

此報告是本公司依照背面所印之通用服務條款所簽發,此條款可在本公司網站 https://www.sgs.com.tw/Terms-and-Conditions 閲覽,凡電子文件之格式依https://www.sgs.com.tw/Terms-and-Conditions 之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者,請注意 本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責,此文件不妨礙當事人在交易上權利之行使或義務之免除。未 經本公司事先書面同意,此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容,皆為不合法,違犯者可能遭受法律上最嚴厲之追訴。 除非另有說明,此報告結果僅對測試之樣品負責。



> Page: 3 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號 報告編號: AFA25405820 報告日期: 2025/04/29



	1		VV202	,
測試項目	測試方法	測試結果	定量/偵測極限(註3)	單位
★ 抗原蟲劑多重殘留分析(二)		Stin		
★ Buquinolate	衛生福利部112年4月27日衛授食字第	未檢出	0.005	ppm(mg/kg)
★ Carnidazole	1121900639號公告訂定食品中動物用藥殘留	未檢出	0.005	ppm(mg/kg)
★ 滴克奎諾	量檢驗方法 - 抗原蟲劑多重殘留分析	未檢出	0.005	ppm(mg/kg)
★ Diaveridine	(=)(MOHWV0052.00)	未檢出	0.005	ppm(mg/kg)
★ 戴克拉爾]	入 人,未檢出	0.005	ppm(mg/kg)
★ Dimetridazole		未檢出	0.001	ppm(mg/kg)
★ Diminazene		✓ 未檢出	0.005	ppm(mg/kg)
★ 海樂福精		未檢出	0.005	ppm(mg/kg)
★ HMMNI		未檢出	0.01	ppm(mg/kg)
★ Imidocarb		未檢出	0.005	ppm(mg/kg)
★ Ipronidazole-OH		未檢出	0.005	ppm(mg/kg)
★ Isometamidium		未檢出	0.005	ppm(mg/kg)
★ 2-Methyl-5-nitroimidazole		未檢出	0.01	ppm(mg/kg)
★ Metronidazole		未檢出	0.001	ppm(mg/kg)
★ Metronidazole-OH		未檢出	0.001	ppm(mg/kg)
★ 乃卡巴精		未檢出	0.005	ppm(mg/kg)
★ Praziquantel		未檢出	0.005	ppm(mg/kg)
★ Pryrantel		未檢出	0.005	ppm(mg/kg)
★ Pyrimethamine		未檢出	0.005	ppm(mg/kg)
★ 羅苯嘧啶		未檢出	0.005	ppm(mg/kg)
★ Ronidazole		未檢出	0.001	ppm(mg/kg)
★ Tinidazole		未檢出	0.005	ppm(mg/kg)
★ 柔林		未檢出	0.01	ppm(mg/kg)

此報告是本义方依照背面所印之通用服務條款所簽發,此條款可在本公司網站 https://www.sgs.com.tw/Terms-and-Conditions 閱覽,凡電子文件之格式依 https://www.sgs.com.tw/Terms-and-Conditions 包含 https://www.sgs.com.tw/Terms-and-Conditions https://w



S Page: 4 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號 報告編號: AFA25405820 報告日期: 2025/04/29



別試項目 別試方法 別試妨果 定量/傾測 標底(註3) 単位 (長(註3) 上面無限) 上面無限 上面無限 上面 上面 上面 上面 上面 上面 上面 上		1		4/40/02	
(二)(48品項)	測試項目	測試方法	測試結果		單位
密集座	動物用藥多重殘留分析				
別報	(二)(48品項)				
型集	—————————————————————————————————————	衛生福利部108年10月8日衛授食字第	未檢出	0.01	ppm(mg/kg)
一切	恩氟喹啉羧酸	1081901669號公告修正食品中動物用藥殘留	未檢出	0.01	ppm(mg/kg)
Fleroxacin	大安氟喹啉羧酸	量檢驗方法-多重殘留分析	未檢出	0.01	ppm(mg/kg)
無機出	二氟喹啉羧酸	(二)(MOHWV0037.03)(註:實驗室擴充原方	未檢出	0.01	ppm(mg/kg)
Lomefloxacin	Fleroxacin	█ 法適用基質,非屬食藥署該項認證範圍)// △	未檢出	0.01	ppm(mg/kg)
株殻出	氟滅菌		→ 未檢出	0.01	ppm(mg/kg)
## ## ## ## ## ## ## ## ## ## ## ## ##	Lomefloxacin		未檢出	0.01	ppm(mg/kg)
諸無喹啉羧酸	Marbofloxacin		未檢出	0.01	ppm(mg/kg)
歐索林酸 未檢出 0.01 ppm(mg/kg) Pefloxacin 未檢出 0.01 ppm(mg/kg) 素檢出 0.01 ppm(mg/kg) 未檢出 0.01 <	那利得酸		未檢出	0.01	ppm(mg/kg)
Pefloxacin Pipemidic acid Piromidic acid Piromidic acid Piromidic acid Pitame w	諾氟喹啉羧酸		未檢出	0.01	ppm(mg/kg)
Pipemidic acid 未檢出 0.01 ppm(mg/kg) 沙拉氟喹啉羧酸 未檢出 0.01 ppm(mg/kg) Azaperol 未檢出 0.01 ppm(mg/kg) Azaperone 未檢出 0.01 ppm(mg/kg) Carazolol 未檢出 0.02 ppm(mg/kg) 東京市のmeetin 未檢出 0.01 ppm(mg/kg) 上東山 0.01 ppm(mg/kg) 東線 0.01 ppm(mg/kg) 東線出 0.01 ppm(mg/kg) 東線出 0.01 ppm(mg/kg) 未檢出	歐索林酸		未檢出	0.01	ppm(mg/kg)
Piromidic acid 未檢出 0.01 ppm(mg/kg) 沙拉氟喹啉羧酸 未檢出 0.005 ppm(mg/kg) Azaperol 未檢出 0.01 ppm(mg/kg) 未檢出 0.01 ppm(mg/kg) 東市 未檢出 0.02 ppm(mg/kg) 東京市のmectin 未檢出 0.01 ppm(mg/kg) 上中 未檢出 0.01 ppm(mg/kg) 上中 未檢出 0.01 ppm(mg/kg) 上中 未檢出 0.01 ppm(mg/kg) 上中 未檢出 0.01 ppm(mg/kg) 上東 上東 0.01 ppm(mg/kg)	Pefloxacin		未檢出	0.01	ppm(mg/kg)
沙拉氟喹啉羧酸 未檢出 0.005 ppm(mg/kg) Azaperol 未檢出 0.01 ppm(mg/kg) Azaperone 未檢出 0.01 ppm(mg/kg) 基檢出 0.002 ppm(mg/kg) 基檢出 0.05 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 財子檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 基檢出 <td>Pipemidic acid</td> <td></td> <td>未檢出</td> <td>0.01</td> <td>ppm(mg/kg)</td>	Pipemidic acid		未檢出	0.01	ppm(mg/kg)
Azaperol 未檢出 0.01 ppm(mg/kg) Azaperone 未檢出 0.01 ppm(mg/kg) 基機出 0.002 ppm(mg/kg) 基機出 0.05 ppm(mg/kg) 基機出 0.01 ppm(mg/kg) 基機出 0.01 ppm(mg/kg) 素機出 0.01 ppm(mg/kg) 財場 未機出 0.01 ppm(mg/kg) 工程中本場局 未機出 0.01 ppm(mg/kg) 工程工程 未機出 0.01 ppm(mg/kg) 工程 未機出 0.01 ppm(mg/kg) 基機出 0.01 <td< td=""><td>Piromidic acid</td><td></td><td>未檢出</td><td>0.01</td><td>ppm(mg/kg)</td></td<>	Piromidic acid		未檢出	0.01	ppm(mg/kg)
Azaperone 未檢出 0.01 ppm(mg/kg) Quee 未檢出 0.002 ppm(mg/kg) 基檢出 0.05 ppm(mg/kg) 未檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 上樓出 0.01 ppm(mg/kg) 上樓出 0.01 ppm(mg/kg) 上樓出 0.01 ppm(mg/kg) 工程和計算 未檢出 0.01 ppm(mg/kg) 工程工程 未檢出 0.01 ppm(mg/kg) 工程 未檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) </td <td>沙拉氟喹啉羧酸</td> <td></td> <td>未檢出</td> <td>0.005</td> <td>ppm(mg/kg)</td>	沙拉氟喹啉羧酸		未檢出	0.005	ppm(mg/kg)
Carazolol 未檢出 0.002 ppm(mg/kg) 氯吡啶 未檢出 0.05 ppm(mg/kg) Dicyclanil 未檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 基檢出 0.01 ppm(mg/kg) 摩朗得 未檢出 0.05 ppm(mg/kg) 壓美德普 未檢出 0.01 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氧仿 未檢出 0.01 ppm(mg/kg) Succinylsulfatniazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	Azaperol		未檢出	0.01	ppm(mg/kg)
氯吡啶 未檢出 0.05 ppm(mg/kg) Dicyclanil 未檢出 0.01 ppm(mg/kg) Eprinomectin 未檢出 0.01 ppm(mg/kg) 未檢出 0.01 ppm(mg/kg) Fluazuron 未檢出 0.05 ppm(mg/kg) 摩朗得 未檢出 0.01 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氧仿 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	Azaperone		未檢出	0.01	ppm(mg/kg)
Dicyclanil	Carazolol		未檢出	0.002	ppm(mg/kg)
Eprinomectin 未檢出 0.01 ppm(mg/kg) 衣索巴 未檢出 0.01 ppm(mg/kg) Fluazuron 未檢出 0.05 ppm(mg/kg) 摩朗得 未檢出 0.01 ppm(mg/kg) 歐美德普 未檢出 0.05 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氧仿 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	氯吡啶		未檢出	0.05	ppm(mg/kg)
衣索巴 未檢出 0.01 ppm(mg/kg) Fluazuron 未檢出 0.05 ppm(mg/kg) 摩朗得 未檢出 0.01 ppm(mg/kg) 歐美德普 未檢出 0.05 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氧仿 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	Dicyclanil		未檢出	0.01	ppm(mg/kg)
Fluazuron 未檢出 0.05 ppm(mg/kg) 摩朗得 未檢出 0.01 ppm(mg/kg) 歐美德普 未檢出 0.05 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氯仿 未檢出 0.01 ppm(mg/kg) 三甲氧苄氨酸嗪 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	Eprinomectin		未檢出	0.01	ppm(mg/kg)
摩朗得 未檢出 0.01 ppm(mg/kg) 歐美德普 未檢出 0.05 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氯仿 未檢出 0.01 ppm(mg/kg) 三甲氧苄氨嘧啶 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	衣索巴		未檢出	0.01	ppm(mg/kg)
歐美德普 未檢出 0.05 ppm(mg/kg) Tetramisole 未檢出 0.01 ppm(mg/kg) 三氯仿 未檢出 0.01 ppm(mg/kg) 三甲氧苄氨酸嗪 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	Fluazuron		未檢出	0.05	ppm(mg/kg)
Tetramisole 未檢出 0.01 ppm(mg/kg) 三氯仿 未檢出 0.01 ppm(mg/kg) 未檢出 0.01 ppm(mg/kg) 三甲氧苄氨噻啶 未檢出 0.01 ppm(mg/kg) Succinylsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	摩朗得		未檢出	0.01	ppm(mg/kg)
三氯仿未檢出0.01ppm(mg/kg)三甲氧苄氨噻啶未檢出0.01ppm(mg/kg)Succinylsulfathiazole未檢出0.01ppm(mg/kg)Sulfabenzamide未檢出0.01ppm(mg/kg)	歐美德普		未檢出	0.05	ppm(mg/kg)
三具切未被出0.01ppm(mg/kg)三甲氧苄氨噻啶未檢出0.01ppm(mg/kg)Succinylsulfathiazole未檢出0.01ppm(mg/kg)Sulfabenzamide未檢出0.01ppm(mg/kg)	Tetramisole		未檢出	0.01	ppm(mg/kg)
SuccinyIsulfathiazole 未檢出 0.01 ppm(mg/kg) Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	三氯仿		未檢出	0.01	ppm(mg/kg)
Sulfabenzamide 未檢出 0.01 ppm(mg/kg)	三甲氧苄氨酸碳///		未檢出	0.01	ppm(mg/kg)
	Succinylsulfathiazole		未檢出	0.01	ppm(mg/kg)
<u> </u>	Sulfabenzamide		未檢出	0.01	ppm(mg/kg)
	乙醯磺胺		未檢出	0.01	ppm(mg/kg)

此報告是本公司依照背面所印之通用服務條款所簽發,此條款可在本公司網站 https://www.sgs.com.tw/Terms-and-Conditions 閱覽,凡電子文件之格式依 https://www.sgs.com.tw/Terms-and-Conditions 包電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者,請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責,此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意,此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容,皆為不合法,違犯者可能遭受法律上最嚴厲之追訴。除非另有說明,此報告結果僅對測試之樣品負責。



> Page: 5 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號 報告編號: AFA25405820 報告日期: 2025/04/29



測試項目	測試方法	測試結果	定量/偵測 極限(註3)	單位
磺胺氯吡嗪	衛生福利部108年10月8日衛授食字第	未檢出	0.02	ppm(mg/kg)
磺胺嘧啶	1081901669號公告修正食品中動物用藥殘留	未檢出	0.01	ppm(mg/kg)
磺胺二甲氧嘧啶	量檢驗方法-多重殘留分析	未檢出	0.01	ppm(mg/kg)
磺胺一甲氧嘧啶	(二)(MOHWV0037.03)(註:實驗室擴充原方	未檢出	0.01	ppm(mg/kg)
磺胺鄰二甲氧嘧啶	法適用基質,非屬食藥署該項認證範圍)	未檢出	0.01	ppm(mg/kg)
磺胺乙氧化吡嗪	T William Will	入 人,未檢出	0.01	ppm(mg/kg)
磺胺胍		未檢出	0.01	ppm(mg/kg)
磺胺甲基嘧啶		→ 未檢出	0.01	ppm(mg/kg)
磺胺嘧特		未檢出	0.01	ppm(mg/kg)
磺胺二甲基嘧啶		未檢出	0.01	ppm(mg/kg)
Sulfamethizole		未檢出	0.01	ppm(mg/kg)
磺胺甲基噁唑		未檢出	0.01	ppm(mg/kg)
磺胺甲氧化吡嗪		未檢出	0.01	ppm(mg/kg)
磺胺吡啶		未檢出	0.01	ppm(mg/kg)
磺胺喹啉		未檢出	0.01	ppm(mg/kg)
磺胺噻唑		未檢出	0.01	ppm(mg/kg)
Sulfatroxazole		未檢出	0.01	ppm(mg/kg)

備註:

- 1. 測試報告僅就委託者之委託事項提供測試結果,不對產品合法性做判斷。
- 2. 本報告共 7 頁,分離使用無效。
- 3. 若該測試項目屬於定量分析則以「定量極限」表示;若該測試項目屬於定性分析則以「偵測極限」表示。
- 4. 低於定量極限/偵測極限之測定值以 "未檢出"或" 陰性 "表示。
- 5. 本檢驗報告之所有檢驗內容,均依委託事項執行檢驗,如有不實,願意承擔完全責任。
- 6. 測試項目名稱旁有加★煮 為本實驗室通過衛生福利部認證項目。
- 7. 食品實驗室-台北執行之中基汞/無機砷/重金屬等測試項目測試場地:新北市五股區新北產業園區五權七路38號。

- END -



) Page: 6 of 7

鼎泰豐小吃店股份有限公司 新北市中和區立言街36號 報告編號: AFA25405820 報告日期: 2025/04/29

樣品照片

AFA25405820



SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 3F, 125, Wu Kung Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, 248016, Taiwan / 248016 新北市五股區新北產業園區五工路 125 號 3 樓 t (886-2) 2299-3939 f (886-2) 2299-1687 www.sgs.com.tw




Page: 7 of 7

以下為申請廠商委託測試項目、測試方法、定量/偵測極限:

AFA25405820

測試項目	測試方法	定量/偵測極限
★ 重金屬(蛋類)	衛生福利部110年5月31日衛授食字第1101901072號	詩見測試結果之定量/偵測極限
	公告訂定蛋類中重金屬檢驗方法(MOHWH0027.00)	21/20/2
		~
	Α	\Diamond
氯黴素類	衛生福利部114年4月9日衛授食字第1141900438號	詳見測試結果之定量/偵測極限
	公告修正食品中動物用藥殘留量檢驗方法-氯黴素類/	2)
	抗生素之檢驗(MOHWV0043.02)	
★ 四環黴素類	衛生福利部112年3月16日衛授食字第1121900098號	詳見測試結果之定量/偵測極限
	公告修正食品中動物用藥殘留量檢驗方法學四環黴素	
	類抗生素之檢驗(MOHWV0036,06)	
★ 抗原蟲劑多重殘留分析(二)	衛生福利部112年4月27日衛授食字第1121900639號	詳見測試結果之定量/偵測極限
	公告訂定食品中動物用藥殘留量檢驗方法 - 抗原蟲劑	
	多重殘留分析(二)(MOHW/0052.00)	
	\bigcup	
動物用藥多重殘留分析(二)(48品項)	衛生福利部108年10月8日衛授食字第1081901669號	詳見測試結果之定量/偵測極限
	公告修正食品中動物用藥殘留量檢驗方法-多重殘留	
	分析(二)(MQHWV0037.03)(註:實驗室擴充原方法	
	適用基質 /非屬食藥署該項認證範圍)	





Page: 1 of 7

Dintaifung Restaurant Co.,Ltd.

No.36, Liyan St., Zhonghe Dist., New Taipei City, Taiwan

Report No.: AFA25405820M01

2025/04/29 Date:

Product Name: Egg

Sample Packaging: Please refer to the photos for sample shown at the page of this report

Sample Condition/Amount: Refrigerated/1 piece

Item No.:

Lot. No.:

Applicant: Dintaifung Restaurant Co.,Ltd.

Applicant address/

No.36, Liyan St., Zhonghe Dist., New Taipei City, Taiwan/(02)2226-7890/Dintaifung telephone number/

Restaurant Co.,Ltd. contact person :

Z.Y. FOOD COMPANY LIMITED Manufacturer/Vendor:

2025/04/11 Manufacture Date:

Expiry Date:

Country of Origin: Taiwan

The above sample information is provided and confirmed by the applicant.

Sample Received: 2025/04/22

2025/04/22 Testing Date:

-Please refer to next page(s)-Test Results:

> Anita Liao AManager Signed for and on behalf of

> SGS TAIWAN Ltd.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 2 of 7

Dintaifung Restaurant Co.,Ltd. No.36, Liyan St., Zhonghe Dist., New Taipei City,Taiwan

Report No. : AFA25405820M01 Date : 2025/04/29



Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit
★ Heavy Metals in Eggs		&	<i>Y</i>	
★ Lead(Pb)	MOHW Food No. 1101901072 promulgated on 2021/05/31. Method of Test for Heavy	N.D.	0.02	mg/kg
★ Copper(Cu)	Metals in Eggs.(MOHWH0027.00)	0.4	0.2	mg/kg
Chloramphenicols		<u> </u>		
Chloramphenicol	MOHW Food No. 1141900438 amended on	N.D.	0.00015	ppm(mg/kg)
Florfenicol	— 2025/04/09. Method of Test for Veterinary Drug Residues in Foods -Test of	N.D.	0.005	ppm(mg/kg)
Florfenicol amine	Chloramphenicols.(MOHWV0043.02)	N.D.	0.005	ppm(mg/kg)
Thiamphenicol		N.D.	0.005	ppm(mg/kg)
★ Tetracyclines				
★ Doxycycline	MOHW Food No. 1121900098 amended on	N.D.	0.005	ppm(mg/kg)
★ Tetracycline	2023/03/16. Method of Test for Veterinary	N.D.	0.005	ppm(mg/kg)
★ 4-epimer-tetracycline	Drug Residues in Foods - Test of	N.D.	0.005	ppm(mg/kg)
★ Chlortetracycline	Tetracyclines.(MOHWV0036.06)	N.D.	0.005	ppm(mg/kg)
★ 4-epimer-chlortetracycline		N.D.	0.005	ppm(mg/kg)
★ Oxytetracycline		N.D.	0.005	ppm(mg/kg)
★ 4-epimer-oxytetracycline		N.D.	0.005	ppm(mg/kg)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 3 of 7

Dintaifung Restaurant Co.,Ltd.

No.36, Liyan St., Zhonghe Dist., New Taipei City, Taiwan

Report No. : AFA25405820M01

Date: 2025/04/29



				<u>'</u>
Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit
★ Antiprotozoal Drugs (2)		&	<i>Y</i>	
★ Buquinolate	MOHW Food No. 1121900639 promulgated	N.D.	0.005	ppm(mg/kg)
★ Carnidazole	on 2023/04/27. Method of Test for	N.D.	0.005	ppm(mg/kg)
★ Decoquinate	Veterinary Drug Residues in Foods -	N.D.	0.005	ppm(mg/kg)
★ Diaveridine	Multiresidue Analysis of Antiprotozoal Drugs	ND.	0.005	ppm(mg/kg)
★ Diclazuril	(2).(MOHWV0052.00)	M.D.	0.005	ppm(mg/kg)
★ Dimetridazole		N.D.	0.001	ppm(mg/kg)
★ Diminazene	0.0	N.D.	0.005	ppm(mg/kg)
★ Halofuginone		N.D.	0.005	ppm(mg/kg)
★ HMMNI		N.D.	0.01	ppm(mg/kg)
★ Imidocarb		N.D.	0.005	ppm(mg/kg)
★ Ipronidazole-OH		N.D.	0.005	ppm(mg/kg)
★ Isometamidium		N.D.	0.005	ppm(mg/kg)
★ 2-Methyl-5-nitroimidazole		N.D.	0.01	ppm(mg/kg)
★ Metronidazole		N.D.	0.001	ppm(mg/kg)
★ Metronidazole-OH		N.D.	0.001	ppm(mg/kg)
★ Nicarbazine		N.D.	0.005	ppm(mg/kg)
★ Praziquantel	S . S	N.D.	0.005	ppm(mg/kg)
★ Pryrantel		N.D.	0.005	ppm(mg/kg)
★ Pyrimethamine		N.D.	0.005	ppm(mg/kg)
★ Robenidine hydrochloride		N.D.	0.005	ppm(mg/kg)
★ Ronidazole		N.D.	0.001	ppm(mg/kg)
★ Tinidazole	Le Contraction of the contractio	N.D.	0.005	ppm(mg/kg)
★ Zoalene		N.D.	0.01	ppm(mg/kg)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 4 of 7

Dintaifung Restaurant Co.,Ltd.

No.36, Liyan St., Zhonghe Dist., New Taipei City, Taiwan

Report No. : AFA25405820M01

Date: 2025/04/29



			LOQ/LOD	
Test Item	Test Method	Results	(Note 3.)	Unit
Veterinary Drug Residues-		&	7	
Multiresidue Analysis of				
Antiprotozoal Drugs (2)(48			7	
items)		× >		
Ciprofloxacin	MOHW Food No. 1081901669 amended on	N.D.	0.01	ppm(mg/kg)
Enrofloxacin	2019/10/08. Method of Test for Veterinary	M.D.	0.01	ppm(mg/kg)
Danofloxacin	Drug Residues in Foods-Method for	N.D.	0.01	ppm(mg/kg)
Difloxacin	Multiresidue Analysis	N.D.	0.01	ppm(mg/kg)
Fleroxacin	(2).(MOHWV0037.03)(Note: Matrix of the	N.D.	0.01	ppm(mg/kg)
Flumequine	announced method was extended, and it is	N.D.	0.01	ppm(mg/kg)
Lomefloxacin	not within the scope of TFDA certification.)	N.D.	0.01	ppm(mg/kg)
Marbofloxacin		N.D.	0.01	ppm(mg/kg)
Nalidixic acid		N.D.	0.01	ppm(mg/kg)
Norfloxacin		N.D.	0.01	ppm(mg/kg)
Oxolinic Acid		N.D.	0.01	ppm(mg/kg)
Pefloxacin		N.D.	0.01	ppm(mg/kg)
Pipemidic acid		N.D.	0.01	ppm(mg/kg)
Piromidic acid		N.D.	0.01	ppm(mg/kg)
Sarafloxacin		N.D.	0.005	ppm(mg/kg)
Azaperol		N.D.	0.01	ppm(mg/kg)
Azaperone		N.D.	0.01	ppm(mg/kg)
Carazolol		N.D.	0.002	ppm(mg/kg)
Clopidol		N.D.	0.05	ppm(mg/kg)
Dicyclanil		N.D.	0.01	ppm(mg/kg)
Eprinomectin		N.D.	0.01	ppm(mg/kg)
Ethopabate		N.D.	0.01	ppm(mg/kg)
Fluazuron		N.D.	0.05	ppm(mg/kg)
Morantel		N.D.	0.01	ppm(mg/kg)
Ormetoprim		N.D.	0.05	ppm(mg/kg)
Tetramisole		N.D.	0.01	ppm(mg/kg)
Trichlorfon		N.D.	0.01	ppm(mg/kg)
Trimethoprim		N.D.	0.01	ppm(mg/kg)
Succinylsulfathrazole		N.D.	0.01	ppm(mg/kg)
Sulfabenzamide		N.D.	0.01	ppm(mg/kg)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 5 of 7

Dintaifung Restaurant Co.,Ltd.

No.36, Liyan St., Zhonghe Dist., New Taipei City, Taiwan

Report No.: AFA25405820M01

2025/04/29



Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit
Sulfacetamide	MOHW Food No. 1081901669 amended on	N.D.	0.01	ppm(mg/kg)
Sulfachlorpyridazine	2019/10/08. Method of Test for Veterinary	N.D.	0.02	ppm(mg/kg)
Sulfadiazine	Drug Residues in Foods-Method for	N.D.	0.01	ppm(mg/kg)
Sulfadimethoxine	Multiresidue Analysis	N.D.	0.01	ppm(mg/kg)
Sulfamonomethoxine	(2).(MOHWV0037.03)(Note: Matrix of the	ND.	0.01	ppm(mg/kg)
Sulfadoxine	announced method was extended, and it is	M.D.	0.01	ppm(mg/kg)
Sulfaethoxypyridazine	not within the scope of TFDA certification.)	N.D.	0.01	ppm(mg/kg)
Sulfaguanidine	•	N.D.	0.01	ppm(mg/kg)
Sulfamerazine		N.D.	0.01	ppm(mg/kg)
Sulfameter		N.D.	0.01	ppm(mg/kg)
Sulfamethazine		N.D.	0.01	ppm(mg/kg)
Sulfamethizole		N.D.	0.01	ppm(mg/kg)
Sulfamethoxazole		N.D.	0.01	ppm(mg/kg)
Sulfamethoxypyridazine		N.D.	0.01	ppm(mg/kg)
Sulfapyridine		N.D.	0.01	ppm(mg/kg)
Sulfaquinoxaline		N.D.	0.01	ppm(mg/kg)
Sulfathiazole		N.D.	0.01	ppm(mg/kg)
Sulfatroxazole	S 9	N.D.	0.01	ppm(mg/kg)

Note:

- 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.
- 2. This testing report contains 7 pages and it's invalid when they are separated.
- 3. If the testing item belongs to quantitative analysis then this column describes Limit of Quantification(LOQ); If the testing item belongs to qualitative analysis then this column describes Limit of Detection(LOD).
- 4. Result reported as "N.D." Tegative" denotes value lower than LOQ/LOD.
- 5. All items in this testing report is based on the request from client and we are responsible for that.
- 6. The testing method has been accredited by MOHW, which is marked with ★.
- 7. Food Laboratory Jesting Site of Methyl Mercury / Inorganic Arsenic / Heavy Metals testings conducted in Taipei: No.38, Wuguan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 24886, Taiwan. (R.O.C.)
- 8. The report, AFA25405820M01, was reissued on 2025/04/29.

- END -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 6 of 7

Dintaifung Restaurant Co.,Ltd. No.36, Liyan St., Zhonghe Dist., New Taipei City,Taiwan

Report No.: AFA25405820M01 Date: 2025/04/29

Sample Photo

AFA25405820



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction mexercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Page: 7 of 7

The information requested from client is shown as below:

AFA25405820M01

Test Item	Test Method	_LOQ/LOD
★ Heavy Metals in Eggs	MOHW Food No. 1101901072 promulgated on 2021/05/31. Method of Test for Heavy Metals in Eggs.(MOHWH0027.00)	Please refer to the result table above
Chloramphenicols	MOHW Food No. 1141900438 amended on 2025/04/09. Method of Test for Veterinary Drug Residues in Foods -Test of Chloramphenicols.(MOHWV0043.02)	Please refer to the result table above
★ Tetracyclines	MOHW Food No. 1121900098 amended on 2023/03/16. Method of Test for Veterinary Drug Residues in Foods - Test of Tetracyclines.(MOHWV0036.06)	Please refer to the result table above
★ Antiprotozoal Drugs (2)	MOHW Food No. 1121900639 promulgated on 2023/04/27. Method of Test for Veterinary Drug Residues in Foods Multiresidue Analysis of Antiprotozoal Drugs (2).(MOHWV0052.00)	Please refer to the result table above
Veterinary Drug Residues- Multiresidue Analysis of Antiprotozoal Drugs (2)(48 items)	MOHW Food No. 1081901669 amended on 2019/10/08. Method of Test for Veterinary Drug Residues in Foods-Method for Multiresidue Analysis (2).(MOHWV0037.03)(Note: Matrix of the amounced method was extended, and it is not within the scope of TFDA certification.)	Please refer to the result table above

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.