

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號：FA/2018/12219
日期：2018/01/22
頁數：1 of 3



以下測試之樣品係由申請廠商所提供並確認資料如下：

產品名稱：台梗九號
樣品狀態：請參考報告末頁樣品照片
產品型號：—
產品批號：—
申請廠商：億東企業股份有限公司
生產或供應廠商：億東企業股份有限公司
製造日期：—
有效日期：2018/12/19
原產地(國)：台灣
收樣日期：2018/01/11
測試日期：2018/01/11

鼎泰豐小吃店股份有限公司			
檢驗報告判定章			
合	格	不	合 格
✓			

測試結果：

測試項目	測試方法	測試結果	定量/偵測 極限(註3)	單位	食品衛生法 規
★鉛 (Pb)	衛生福利部部授食字第1031901151 號公告 訂定食米中重金屬檢驗方法-鉛及鎘之檢 驗，以感應耦合電漿質譜儀(ICPMS)分析 之。	未檢出	0.02	ppm(mg/kg)	≤0.2
★鎘 (Cd)		未檢出	0.02	ppm(mg/kg)	≤0.4
★汞 (Hg)	衛生福利部部授食字第1031901169 號公告 修正重金屬檢驗方法總則，以感應耦合電 漿質譜儀(ICPMS)分析之。	未檢出	0.005	ppm(mg/kg)	≤0.05
砷 (As)	參考衛生福利部部授食字第1031901169 號 公告修正重金屬檢驗方法總則，以感應耦 合電漿質譜儀(ICPMS)分析之。	0.09	0.01	ppm(mg/kg)	---

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



連結至SGS安心資訊平台
聯絡人：任志正 博士



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號：FA/2018/12219

日期：2018/01/22

頁數：2 of 3



測試項目	測試方法	測試結果	定量/偵測 極限(註3)	單位	食品衛生法 規
★黃麴毒素	---	---	---	---	---
★Aflatoxin B1	衛生福利部部授食字第1041901616號公告 修正MOHWT0001.03食品中黴菌毒素檢驗 方法 - 黃麴毒素之檢驗，以高效液相層析 儀/螢光檢出器 (HPLC/FLR)分析之。	未檢出	0.2	ppb(µg/kg)	≤10
★Aflatoxin B2		未檢出	0.1	ppb(µg/kg)	
★Aflatoxin G1		未檢出	0.2	ppb(µg/kg)	
★Aflatoxin G2		未檢出	0.1	ppb(µg/kg)	
★赭麴毒素A	衛生福利部部授食字第1031900979 號公告 修正-食品中黴菌毒素檢驗方法-赭麴毒素A 之檢驗，以高效液相層析儀/螢光檢出器 (HPLC/FLR)分析之。	未檢出	0.3	ppb(µg/kg)	≤5
食品中螢光增白劑	衛生福利部102年9月6日部授食字第 1021950329號公告修正食品中螢光增白劑 檢驗方法	未檢出	---	---	不得檢出

測試項目	測試方法	測試結果	定量/偵測 極限(註3)	單位	CNS 2425二 等米標準(最 高限度)
水分	CNS 13500 穀類檢驗法-禾穀水分	14.5	0.1	%	15
夾雜物	CNS 2425 白米	0.0	---	%	0.2
稻穀		0.0	---	%	0.0
糙米		0.0	---	%	0.0
被害粒及白粉質粒		3	---	%	15
被害粒		0	---	%	3
熱損害粒		0.0	---	%	0.3
異型粒		0	---	%	4
碎粒		8	---	%	10

- 備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。
2. 本報告不得分離或擷錄使用。
3. 若該測試項目屬於定量分析則以「定量極限」表示；若該測試項目屬於定性分析則以「偵測極限」表示。
4. 低於定量極限/偵測極限之測定值以「未檢出」或「陰性」表示。
5. 測試項目名稱旁有加★者，為通過衛生福利部食品藥物管理署認證項目。
6. 本次委託測試項目(水分及CNS 2425白米)由SGS食品實驗室-台中執行。

- END -

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號：FA/2018/12219
日期：2018/01/22
頁數：3 of 3



樣品照片

FA/2018/12219



FA/2018/12219

· 本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
· 平日建議置於冰箱冷藏，可避免米蟲產生
· 米容易附着異味，請避免與味道濃烈之食品一起存放
· 生米碰水會造成品質劣變，存放時切勿沾到水
· 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米
品質規格：CNS二等
碾製日期：標示於正面
有效日期：標示於正面
淨重：2.5公斤

此日期前最佳：日/月/年
製造/負責廠商：億東企業股份有限公司
電話：(02) 2297-7088
公司地址：台北市10848萬華區武昌街142號8樓之5
聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
消費者服務專線：0800-097088
(客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示		
每份量 80 公克		
本包裝含 31 份		
	每份	每 100 公克
熱量	277 大卡	347 大卡
蛋白質	5.2 公克	6.5 公克
脂肪	0.4 公克	0.5 公克

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號 : FA/2018/12219A-01
報告日期 : 2018/01/22



以下測試之樣品係由申請廠商所提供並確認資料如下:

產品名稱: 台梗九號
 樣品狀態: 請參考報告末頁樣品照片
 產品型號: —
 產品批號: —
 申請廠商: 億東企業股份有限公司
 生產或供應廠商: 億東企業股份有限公司
 製造日期: —
 有效日期: 2018/12/19
 原產地(國): 台灣
 收樣日期: 2018/01/11
 測試日期: 2018/01/11
 委託測試項目: 農藥定量分析

鼎泰豐小吃店股份有限公司	
檢驗報告判定章	
合格	不合格
✓	

測試方法: 本測試參考方法 AOAC Official Method 2007.01 以液相層析串聯質譜儀(LC/MS/MS)及以氣相層析串聯式質譜儀(GC/MS/MS)檢測。

測試結果: 本樣品檢測如附錄所列之470項農藥, 其檢出項目見下表。

測試項目	測試結果 ppm(mg/kg)	定量極限 ppm(mg/kg)	台灣容許量 ppm(mg/kg)
益達胺 Imidacloprid	0.02	0.02	0.2

- 備註: 1. 測試報告僅就委託者之委託事項提供測試結果, 不對產品合法性做判斷。
 2. 本報告不得分離或擷錄使用。
 3. 檢測結果若大於定量極限則匯整上表中, 本次檢測項目及定量極限分別詳列於附錄中。
 4. 備註 " * " 處指公告檢驗方法之定量極限, 如有修正檢驗方法, 依最新公告者為準。
 5. 本食品中殘留農藥檢測之測項中, 有373項為參考衛生福利部公告之食品中殘留農藥檢測方法-多重殘留分析方法(五)(部授食字第1061901690號公告)。
 6. 此報告僅供自主風險/出口之目的使用。

- END -

Cheng-chia Tsai
 Cheng-chia Tsai, Manager
 Signed for and on behalf of
 SGS Taiwan Ltd.



連結至SGS安心資訊平台
 聯絡人: 任志正 博士



此報告是本公司依照背面所印之通用服務條款所簽發, 此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽, 凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者, 請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責, 此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意, 此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容, 皆為不合法, 違犯者可能遭受法律上最嚴厲之追訴。除非另有說明, 此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表:

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限		
1.	2,3,5,6-Tetrachloroaniline	2,3,5,6-Tetrachloroaniline	3481-20-7	0.05	41.	本達隆	Bentazone	25057-89-0	0.02
2.	2,6-DIPN	2,6-DIPN	24157-81-1	0.02	42.	佈生	Benthiazole	21564-17-0	0.02
3.	2-Phenylphenol	2-Phenylphenol	90-43-7	0.02	43.	α-蟲必死	α-BHC	319-84-6	0.02
4.	3-酮基加保扶	3-keto Carbofuran	16709-30-1	0.02	44.	β-蟲必死	β-BHC	319-85-7	0.02
5.	3-羥基加保扶	3-OH carbofuran	16655-82-6	0.02	45.	δ-蟲必死	δ-BHC	319-86-8	0.02
6.	阿巴汀	Abamectin	71751-41-2	0.01	46.	必芬蟎	Bifenazate	149877-41-8	0.02
7.	毆殺松	Acephate	30560-19-1	0.02	47.	必芬諾	Bifenox	42576-02-3	0.02
8.	亞醜蟎	Acequinocyl	57960-19-7	0.05	48.	畢芬寧	Bifenthrin	82657-04-3	0.02
9.	亞醜蟎代謝物	Acequinocyl-hydroxyl	57960-31-3	0.02	49.	Bioresmethrin	Bioresmethrin	28434-01-7	0.05
10.	亞滅培	Acetamidrid	135410-20-7	0.02	50.	比多農	Bitertanol	55179-31-2	0.02
11.	Acetochlor	Acetochlor	34256-82-1	0.02	51.	白克列	Boscalid	188425-85-6	0.02
12.	Acibenzolar-S-methyl	Acibenzolar-S-methyl	135158-54-2	0.02	52.	克草	Bromacil	314-40-9	0.02
13.	亞喜芬	Acifluorfen	50594-66-6	0.02	53.	Bromobutide	Bromobutide	74712-19-9	0.05
14.	阿納寧	Acrinathrin	101007-06-1	0.02	54.	乙基溴磷松	Bromophos-ethyl	4824-78-6	0.02
15.	拉草	Alachlor	15972-60-8	0.02	55.	甲基溴磷松	Bromophos-methyl	2104-96-3	0.02
16.	Alanycarb	Alanycarb	83130-01-2	0.02	56.	新殺蟎	Bromopropylate	18181-80-1	0.02
17.	得滅克	Aldicarb	116-06-3	0.02	57.	溴克座	Bromuconazole	116255-48-2	0.02
18.	得滅克蠟	Aldicarb sulfone	1646-88-4	0.02	58.	必克蟲	Bufenarb	8065-36-9	0.01
19.	得滅克亞蠟	Aldicarb sulfoxide	1646-87-3	0.02	59.	布瑞莫	Bupirimate	41483-43-6	0.02
20.	阿特靈	Aldrin	309-00-2	0.02	60.	布芬淨	Buprofezin	69327-76-0	0.02
21.	亞烈寧	Allethrin	584-79-2	0.1	61.	丁基拉草	Butachlor	23184-66-9	0.02
22.	亞汰草	Alloxydim(sodium)	55635-13-7	0.02	62.	布芬草	Butafenacil	134605-64-4	0.02
23.	亞滅寧	Alphacypermethrin	67375-30-8	0.03	63.	佈嘉信	Butocarboxim	34681-10-2	0.02
24.	滅脫定	Ametoctradin	865318-97-4	0.02	64.	比達寧	Butralin	33629-47-9	0.02
25.	草殺淨	Ametryn	834-12-8	0.02	65.	Cadusafos	Cadusafos	95465-99-9	0.02
26.	安美速	Amisulbrom	348635-87-0	0.03	66.	加保利	Carbaryl	63-25-2	0.02
27.	三亞蟎	Amitraz	33089-61-1	0.02	67.	貝芬替	Carbendazim	10605-21-7	0.02
28.	Aramite	Aramite	140-57-8	0.05	68.	加保扶	Carbofuran	1563-66-2	0.02
29.	亞速欄	Asulam	3337-71-1	0.02	69.	加芬松	Carbophenothion	786-19-6	0.02
30.	草脫淨	Atrazine	1912-24-9	0.02	70.	丁基加保扶	Carbosulfan	55285-14-8	0.02
31.	Azaconazole	Azaconazole	60207-31-0	0.05	71.	Carboxin	Carboxin	5234-68-4	0.05
32.	Azimsulfuron	Azimsulfuron	120162-55-2	0.02	72.	乙基克繁草	Carfentrazone-ethyl	128639-02-1	0.02
33.	谷速松	Azinphos-methyl	86-50-0	0.02	73.	加普胺	Carpropamid	104030-54-8	0.02
34.	亞托敏	Azoxystrobin	131860-33-8	0.01	74.	蟎離丹	Chinomethionat	2439-01-2	0.02
35.	本達樂	Benalaxyl	71626-11-4	0.02	75.	剋安勃	Chlorantranilprole	500008-45-7	0.02
36.	免敵克	Bendiocarb	22781-23-3	0.02	76.	Chlorbenside	Chlorbenside	103-17-3	0.05
37.	倍尼芬	Benfluralin	1861-40-1	0.02	77.	Chlorbufam	Chlorbufam	1967-16-4	0.02
38.	免扶克	Benfuracarb	82560-54-1	0.02	78.	克凡派	Chlorfenapyr	122453-73-0	0.02
39.	Benoxacor	Benoxacor	98730-04-2	0.05	79.	Chlorfenson	Chlorfenson	80-33-1	0.05
40.	免速隆	Bensulfuron-methyl	83055-99-6	0.02	80.	氯芬松	Chlorfenvinphos	470-90-6	0.05

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表(續) :

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限		
81.	克福隆	Chlorfluazuron	71422-67-8	0.02	121.	環克座	Cyproconazole	94361-06-5	0.02
82.	克氯蟎	Chloropropylate	5836-10-2	0.02	122.	賽普洛	Cyprodinil	121552-61-2	0.01
83.	四氯異苯腈	Chlorothalonil	1897-45-6	0.04	123.	o,p'-滴滴滴	o,p'-DDD	53-19-0	0.02
84.	Chloroxuron	Chloroxuron	1982-47-4	0.02	124.	o,p'-滴滴易	o,p'-DDE	3424-82-6	0.02
85.	Chlorpropham	Chlorpropham	101-21-3	0.02	125.	o,p'-滴滴涕	o,p'-DDT	789-02-6	0.02
86.	陶斯松	Chlorpyrifos	2921-88-2	0.02	126.	p,p'-滴滴滴	p,p'-DDD	72-54-8	0.02
87.	甲基陶斯松	Chlorpyrifos-methyl	5598-13-0	0.02	127.	p,p'-滴滴易	p,p'-DDE	72-55-9	0.02
88.	大克草	Chlorthal-dimethyl	1861-32-1	0.02	128.	p,p'-滴滴涕	p,p'-DDT	50-29-3	0.02
89.	克硫松	Chlorthiophos	60238-56-4	0.05	129.	魚藤素	Rotenone	522-17-8	0.02
90.	克氯得	Chlozolate	84332-86-5	0.02	130.	第滅寧	Deltamethrin	52918-63-5	0.02
91.	可芬諾	Chromafenozide	143807-66-3	0.02	131.	Demeton O&S	Demeton O&S	8065-48-3	0.02
92.	除蟲菊精(Cinern I)	Cinern I	8003-34-7	0.02	132.	滅賜松	Demeton-S-methyl	919-86-8	0.02
93.	除蟲菊精(Cinern II)	Cinern II	8003-34-7	0.02	133.	Di-allate	Di-allate	2303-16-4	0.05
94.	Cinidon-ethyl	Cinidon-ethyl	142891-20-1	0.02	134.	大利松	Diazinon	333-41-5	0.02
95.	西速隆	Cinosulfuron	94593-91-6	0.02	135.	Dichlofenthion	Dichlofenthion	97-17-6	0.05
96.	cis-可氯丹	cis-Chlordane	5103-71-9	0.02	136.	Dichlorimid	Dichlorimid	37764-25-3	0.05
97.	剋草同	Clethodim	99129-21-2	0.02	137.	Dichlorprop	Dichlorprop	120-36-5	0.02
98.	克芬蟎	Clofentezine	74115-24-5	0.02	138.	二氯松	Dichlorvos	62-73-7	0.02
99.	可滅蹤	Clomazone	81777-89-1	0.02	139.	Diclofop-methyl	Diclofop-methyl	51338-27-3	0.05
100.	克普草	Clomeprop	84496-56-0	0.02	140.	達滅淨	Diclorfop-methyl	62865-36-5	0.02
101.	可尼丁	Clothianidin	210880-92-5	0.02	141.	大克爛	Dicloran	99-30-9	0.02
102.	蠅毒磷	Coumaphos	56-72-4	0.05	142.	大克蟎及其代謝物	Dicofol	115-32-2	0.02
103.	蝨必殺	CPMC	3942-54-9	0.02	143.	雙特松	Dicrotophos	141-66-2	0.02
104.	氟乃淨	Cyanazine	21725-46-2	0.02	144.	地特靈	Dieldrin	60-57-1	0.02
105.	施力松	Cyanofenphos	13067-93-1	0.02	145.	Diethofencarb	Diethofencarb	87130-20-9	0.05
106.	氟乃松	Cyanophos	2636-26-2	0.02	146.	待克利	Difenoconazole	119446-68-3	0.02
107.	Cyantraniliprole	Cyantraniliprole	736994-63-1	0.02	147.	二福隆	Diflubenzuron	35367-38-5	0.01
108.	賽座滅	Cyazofamid	120116-88-3	0.02	148.	Diflufenican	Diflufenican	83164-33-4	0.05
109.	賽保寧	Cycloprothrin	63935-38-6	0.02	149.	Dimepiperate	Dimepiperate	61432-55-1	0.05
110.	環磺隆	Cyclosulfamuron	136849-15-5	0.02	150.	Dimethametryn	Dimethametryn	22936-75-0	0.05
111.	環殺草	Cycloxydim	101205-02-1	0.02	151.	汰草滅	Dimethenamid	87674-68-8	0.02
112.	Cyenopyrafen	Cyenopyrafen	560121-52-0	0.02	152.	穫萎得	Dimethipin	55290-64-7	0.02
113.	賽芬胺	Cyflufenamid	180409-60-3	0.02	153.	大滅松	Dimethoate	60-51-5	0.02
114.	賽芬蟎	Cyflumetofen	400882-07-7	0.02	154.	達滅芬	Dimethomorph	110488-70-5	0.02
115.	賽扶寧	Cyfluthrin	68359-37-5	0.02	155.	達克利	Diniconazole	83657-24-3	0.02
116.	丁基賽伏草	Cyhalofop-butyl	122008-85-9	0.02	156.	捷乃安	Dinitramine	29091-05-2	0.02
117.	賽洛寧	Cyhalothrin	91465-08-6	0.02	157.	達特南	Dinotefuran	165252-70-0	0.02
118.	克絕	Cymoxanil	57966-95-7	0.02	158.	Diofenolan	Diofenolan	63837-33-2	0.05
119.	賽滅寧	Cypermethrin	52315-07-8	0.03	159.	大克松	Dioxathion	78-34-2	0.02
120.	賽芬寧	Cyphenothrin	39515-40-7	0.05	160.	大芬滅	Diphenamid	957-51-7	0.02

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表(續) :

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限		
161.	Diphenylamine	Diphenylamine	122-39-4	0.02	201.	芬諾克	Fenoxycarb	79127-80-3	0.02
162.	二硫松	Disulfoton	298-04-4	0.02	202.	芬普寧	Fenpropathrin	39515-41-8	0.02
163.	普得松	Ditalimfos	5131-24-8	0.02	203.	芬普福	Fenpropimorph	67564-91-4	0.02
164.	汰硫草	Dithiopyr	97886-45-8	0.02	204.	Fenpyrazamine	Fenpyrazamine	473798-59-3	0.01
165.	達有龍	Diuron	330-54-1	0.02	205.	芬普蟎	Fenproximate	134098-61-6	0.02
166.	汰草龍	Dymron	42609-52-9	0.02	206.	繁福松	Fensulfothion	115-90-2	0.02
167.	護粒松	Edifenphos	17109-49-8	0.02	207.	芬殺松	Fenthion	55-38-9	0.01
168.	因滅汀B1a	Emamectin benzoate B1a	155569-91-8	0.02	208.	芬化利	Fenvalerate	51630-58-1	0.02
169.	因滅汀B1b	Emamectin benzoate B1b	155569-91-8	0.02	209.	富米綜	Fenmzone	89269-64-7	0.02
170.	α-安殺番	α-Endosulfan	959-98-8	0.02	210.	芬普尼	Fipronil	120068-37-3	0.001
171.	β-安殺番	β-Endosulfan	33213-65-9	0.02	211.	Fipronil sulfide	Fipronil sulfide	120067-83-6	0.02
172.	安殺番硫酸鹽	Endosulfan sulfate	1031-07-8	0.02	212.	Fipronil-desulfinyl	Fipronil-desulfinyl	205650-65-3	0.02
173.	安特靈	Endrin	72-20-8	0.02	213.	芬普尼代謝物	Fipronil-sulfone	120068-36-2	0.02
174.	一品松	EPN	2104-64-5	0.02	214.	Flamprop-methyl	Flamprop-methyl	52756-25-9	0.05
175.	依普座	Epoxiconazole	133855-98-8	0.02	215.	伏速隆	Flazasulfuron	104040-78-0	0.02
176.	益化利	Esfenvalerate	66230-04-4	0.02	216.	氟尼胺	Flonicamid	158062-67-0	0.02
177.	Etaconazole	Etaconazole	60207-93-4	0.05	217.	Fluacrypyrim	Fluacrypyrim	229977-93-9	0.05
178.	Ethalfuralin	Ethalfuralin	55283-68-6	0.05	218.	伏寄普	Fluazifop-P-butyl	69806-50-4	0.02
179.	Ethiofencarb	Ethiofencarb	29973-13-5	0.02	219.	扶吉胺	Fluazinam	79622-59-6	0.02
180.	愛殺松	Ethion	563-12-2	0.02	220.	氟大滅	Flubendiamide	272451-65-7	0.02
181.	益斯普	Ethiprole	181587-01-9	0.02	221.	護賽寧	Flucythrinate	70124-77-5	0.02
182.	依瑞莫	Ethirimol	23947-60-6	0.02	222.	護汰寧	Fludioxonil	131341-86-1	0.02
183.	普伏松	Ethoprophos	13194-48-4	0.01	223.	氟速芬	Fluensulfone	318290-98-1	0.02
184.	依芬寧	Etofenprox	80844-07-1	0.02	224.	氟芬隆	Flufenoxuron	101463-69-8	0.02
185.	依殺蟎	Etoxazole	153233-91-1	0.02	225.	福滅寧	Flumethrin	69770-45-2	0.05
186.	依得利	Etridiazole	2593-15-9	0.02	226.	氟比來	Fluopicolide	239110-15-7	0.02
187.	益多松	Etrimfos	38260-54-7	0.02	227.	氟派瑞	Fluopyram	658066-35-4	0.02
188.	凡殺同	Famoxadone	131807-57-3	0.02	228.	Fluoroglycofen-ethyl	Fluoroglycofen-ethyl	77501-90-7	0.05
189.	芬滅松	Fenamiphos	22224-92-6	0.01	229.	Flupyradifurone	Flupyradifurone	951659-40-8	0.02
190.	芬瑞莫	Fenarimol	60168-88-9	0.02	230.	Fluquinconazole	Fluquinconazole	136426-54-5	0.05
191.	芬殺蟎	Fenazaquin	120928-09-8	0.02	231.	氟氯比代謝物	Fluroxypyr-meptyl	81406-37-3	0.02
192.	芬克座	Fenbuconazole	114369-43-6	0.02	232.	Flurtamone	Flurtamone	96525-23-4	0.02
193.	芬佈賜	Fenbutatin-oxide	13356-08-6	0.02	233.	護矽得	Flusilazole	85509-19-9	0.02
194.	樂乃松	Fenchlorphos	299-84-3	0.05	234.	福多寧	Flutolanil	66332-96-5	0.02
195.	Fenhexamid	Fenhexamid	126833-17-8	0.02	235.	護汰芬	Flutriafol	76674-21-0	0.02
196.	撲滅松	Fenitrothion	122-14-5	0.02	236.	福化利	Fluvalinate	102851-06-9	0.02
197.	丁基滅必蟲	Fenobucarb	3766-81-2	0.02	237.	氟克殺	Fluxapyroxad	907204-31-3	0.02
198.	芬硫克	Fenothiocarb	62850-32-2	0.02	238.	福爾培	Folpet	133-07-3	0.04
199.	芬諾尼	Fenoxanil	115852-48-7	0.02	239.	大福松	Fonofos	944-22-9	0.02
200.	芬殺草	Fenoxaprop-ethyl	66441-23-4	0.02	240.	覆滅蟎	Formetanate	23422-53-9	0.02

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表(續) :

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限		
241.	福木松	Formothion	2540-82-1	0.02	281.	靈丹	Lindane	58-89-9	0.02
242.	福賽絕	Fosthiazate	98886-44-3	0.02	282.	理有龍	Linuron	330-55-2	0.02
243.	熱必斯	Fthalide	27355-22-2	0.02	283.	祿芬隆	Lufenuron	103055-07-8	0.02
244.	福拉比	Furametypr	123572-88-3	0.02	284.	馬拉松	Malaoxon	1634-78-2	0.05
245.	Furathiocarb	Furathiocarb	65907-30-4	0.02	285.	馬拉松	Malathion	121-75-5	0.02
246.	合芬寧	Halfenprox	111872-58-3	0.02	286.	曼普胺	Mandipropamid	374726-62-2	0.02
247.	甲基合氧氟	Haloxyfop-methyl	69806-40-2	0.02	287.	滅加松	Mecarbam	2595-54-2	0.02
248.	飛佈達	Heptachlor	76-44-8	0.04	288.	滅芬草	Mefenacet	73250-68-7	0.02
249.	環氧飛佈達	Heptachlor epoxide	1024-57-3	0.02	289.	滅派林	Mepanipyrim	110235-47-7	0.02
250.	飛達松	Heptenophos	23560-59-0	0.02	290.	美福松	Mephosfolan	950-10-7	0.02
251.	六氯苯	Hexachlorobenzene	118-74-1	0.02	291.	滅普寧	Mepronil	55814-41-0	0.02
252.	菲克利	Hexaconazole	79983-71-4	0.02	292.	美氟線	Metaflumizon	139968-49-3	0.02
253.	六伏隆	Hexaflumuron	86479-06-3	0.05	293.	滅達樂	Metalaxyl	57837-19-1	0.02
254.	菲殺淨	Hexazinone	51235-04-2	0.02	294.	滅草胺	Metazachlor	67129-08-2	0.02
255.	合賽多	Hexythiazox	78587-05-0	0.02	295.	滅特座	Metconazole	125116-23-6	0.02
256.	依滅列	Imazalil	35554-44-0	0.01	296.	滅克松	Methacrifos	62610-77-9	0.02
257.	Imazamethabenz-methyl	Imazamethabenz-methyl	81405-85-8	0.05	297.	達馬松	Methamidophos	10265-92-6	0.02
258.	易胺座	Imibenconazole	86598-92-7	0.04	298.	滅大松	Methidathion	950-37-8	0.02
259.	益達胺	Imidacloprid	138261-41-3	0.02	299.	滅賜克	Methiocarb	2032-65-7	0.02
260.	Imidaclothiz	Imidaclothiz	105843-36-5	0.02	300.	納乃得	Methomyl	16752-77-5	0.02
261.	因得克	Indoxacarb	173584-44-6	0.01	301.	美賜平	Methoprene	40596-69-8	0.02
262.	丙基喜樂松	Iprobenfos	26087-47-8	0.02	302.	Methoxychlor	Methoxychlor	72-43-5	0.05
263.	依普同	Iprodione	36734-19-7	0.02	303.	滅芬諾	Methoxyfenozide	161050-58-4	0.01
264.	Iprovalicarb	Iprovalicarb	140923-17-7	0.02	304.	五氯苯基甲基硫化物	Methyl pentachlorophenyl sulfide	1825-19-0	0.02
265.	依殺松	Isazofos	42509-80-8	0.02	305.	撲多草	Metobromuron	3060-89-7	0.02
266.	Isocarbophos	Isocarbophos	24353-61-5	0.05	306.	莫多草	Metolachlor	51218-45-2	0.02
267.	亞芬松	Isofenphos	25311-71-1	0.02	307.	治滅蟲	Metolcarb	1129-41-5	0.02
268.	甲基亞芬松	Isofenphos-methyl	99675-03-3	0.02	308.	滅芬農	Metrafenone	220899-03-6	0.02
269.	滅必靈	Isoprocarb	2631-40-5	0.02	309.	滅必淨	Metribuzin	21087-64-9	0.02
270.	亞賜圃	Isoprothiolane	50512-35-1	0.02	310.	美文松	Mevinphos	7786-34-7	0.02
271.	亞派占	Isopyrazam	881685-58-1	0.02	311.	滅蟻樂	Mirex	2385-85-5	0.04
272.	亞汰尼	Isotianil	224049-04-1	0.02	312.	稻得壯	Molinate	2212-67-1	0.02
273.	愛速隆	Isouron	55861-78-4	0.02	313.	亞素靈	Monocrotophos	6923-22-4	0.01
274.	Isoxaflutole	Isoxaflutole	141112-29-0	0.02	314.	Monolinuron	Monolinuron	1746-81-2	0.02
275.	加福松	Isoxathion	18854-01-8	0.02	315.	邁克尼	Myclobutanil	88671-89-0	0.02
276.	除蟲菊精(Jasmolin I)	Jasmolin I	8003-34-7	0.02	316.	滅落脫	Napropamide	15299-99-7	0.02
277.	除蟲菊精(Jasmolin II)	Jasmolin II	8003-34-7	0.02	317.	Nitrothal-isopropyl	Nitrothal-isopropyl	10552-74-6	0.05
278.	阿發松	Jodfenphos	18181-70-9	0.05	318.	Norflurazon	Norflurazon	27314-13-2	0.02
279.	克收欣	Kresoxim-methyl	143390-89-0	0.02	319.	諾伐隆	Novaluron	116714-46-6	0.02
280.	福賜松	Leptophos	21609-90-5	0.05	320.	尼瑞莫	Nuarimol	63284-71-9	0.02

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表(續) : 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限
321.	Octachlorostyrene	29082-74-4	0.05	361.	普亞列寧	23031-36-9	0.02
322.	歐滅松	1113-02-6	0.02	362.	普拉草	51218-49-6	0.02
323.	歐拉靈	19044-88-3	0.05	363.	撲殺熱	27605-76-1	0.02
324.	樂滅草	19666-30-9	0.02	364.	撲克拉	67747-09-5	0.02
325.	歐殺斯	77732-09-3	0.02	365.	撲滅寧	32809-16-8	0.02
326.	歐殺滅	23135-22-0	0.01	366.	佈飛松	41198-08-7	0.02
327.	嘉保信	5259-88-1	0.02	367.	普滅克	2631-37-0	0.02
328.	氧化可氯丹	27304-13-8	0.05	368.	佈滅淨	7287-19-6	0.02
329.	滅多松	301-12-2	0.02	369.	雷蕨得	1918-16-7	0.05
330.	復祿芬	42874-03-3	0.02	370.	普拔克	25606-41-1	0.02
331.	巴克素	76738-62-0	0.02	371.	除草靈	709-98-8	0.02
332.	巴拉松代謝物	311-45-5	0.05	372.	加護松	7292-16-2	0.02
333.	巴拉松	56-38-2	0.02	373.	歐蟻多	2312-35-8	0.02
334.	甲基巴拉松	298-00-0	0.02	374.	普拔根	139-40-2	0.01
335.	平克座	66246-88-6	0.02	375.	普殺靈	122-42-9	0.02
336.	寶克隆	66063-05-6	0.02	376.	普克利	60207-90-1	0.02
337.	施得圃	40487-42-1	0.02	377.	安丹	114-26-1	0.02
338.	平氟芬	494793-67-8	0.02	378.	Propyzamide	23950-58-5	0.05
339.	平速爛	219714-96-2	0.01	379.	普快淨	189278-12-4	0.02
340.	五氯苯胺	527-20-8	0.02	380.	Prosulfocarb	52888-80-9	0.02
341.	Pentachloroanisole	1825-21-4	0.05	381.	普硫松	34643-46-4	0.02
342.	五氯苯	608-93-5	0.05	382.	飛克松	2275-18-5	0.02
343.	Penthiopyrad	183675-82-3	0.02	383.	派滅淨	123312-89-0	0.01
344.	百滅寧	52645-53-1	0.02	384.	白克松	77458-01-6	0.02
345.	脫禾草	25319-90-8	0.02	385.	百克敏	175013-18-0	0.01
346.	酚丁滅蟲成分之一	26002-80-2	0.02	386.	派芬草	129630-19-9	0.02
347.	賽達松	2597-03-7	0.02	387.	白粉松	13457-18-6	0.02
348.	福瑞松	298-02-2	0.02	388.	百速隆	93697-74-6	0.02
349.	裕必松	2310-17-0	0.02	389.	除蟲菊精(Pyrethrin I)	8003-34-7	0.02
350.	Phosfolan	947-02-4	0.02	390.	除蟲菊精(Pyrethrin II)	8003-34-7	0.02
351.	Phosfolan-methyl	5120-23-0	0.02	391.	Pyribencarb	799247-52-2	0.02
352.	益滅松	732-11-6	0.02	392.	畢達本	96489-71-3	0.02
353.	福賜米松	13171-21-6	0.02	393.	必芬松	119-12-0	0.02
354.	巴賽松	14816-18-3	0.02	394.	必汰草	55512-33-9	0.02
355.	Picolinafen	137641-05-5	0.05	395.	比芬諾	88283-41-4	0.02
356.	協力精	51-03-6	0.02	396.	Pyrifluquinazon	337458-27-2	0.02
357.	Piperophos	24151-93-7	0.05	397.	Pyrifitalid	135186-78-6	0.02
358.	比加普	23103-98-2	0.02	398.	派美尼	53112-28-0	0.04
359.	乙基亞特松	23505-41-1	0.02	399.	畢汰芬	105779-78-0	0.02
360.	亞特松	29232-93-7	0.02	400.	百利普芬	95737-68-1	0.01

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

附 錄

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22

測試項目及LOQ彙整表(續) :

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	定量極限	序號	測試項目	CAS NO.	定量極限		
401.	百快隆	Pyroquilon	57369-32-1	0.02	436.	治滅寧	Tetramethrin	7696-12-0	0.02
402.	拜裕松	Quinalphos	13593-03-8	0.02	437.	欣克草	Thenylchlor	96491-05-3	0.02
403.	快諾芬	Quinoxifen	124495-18-7	0.02	438.	腐絕	Thiabendazole	148-79-8	0.02
404.	五氯硝苯	Quintozene(PCNB)	82-68-8	0.02	439.	賽果培	Thiacloprid	111988-49-9	0.02
405.	快伏草	Quizalofop-ethyl	76578-14-8	0.02	440.	賽速安	Thiamethoxam	153719-23-4	0.01
406.	魚藤精	Rotenone	83-79-4	0.02	441.	賽氟滅	Thifluzamide	130000-40-7	0.02
407.	殺芬草	Saflufenacil	372137-35-4	0.02	442.	殺丹	Thiobencarb	28249-77-6	0.02
408.	殺力松	Salithion	3811-49-2	0.02	443.	硫敵克	Thiodicarb	59669-26-0	0.02
409.	拜烈寧	s-Bioallethrin	28434-00-6	0.1	444.	硫伐隆	Thiofanox	39196-18-4	0.02
410.	Sedaxane	Sedaxane	874967-67-6	0.02	445.	硫滅松	Thiometon	640-15-3	0.02
411.	西殺草	Sethoxydim	74051-80-2	0.02	446.	甲基多保淨	Thiophanate-methyl	23564-05-8	0.02
412.	矽護芬	Silafuofen	105024-66-6	0.02	447.	脫克松	Tolclofos-methyl	57018-04-9	0.02
413.	草滅淨	Simazine	122-34-9	0.02	448.	脫芬瑞	Tolfenpyrad	129558-76-5	0.02
414.	Simeconazole	Simeconazole	149508-90-7	0.05	449.	甲基益發靈	Tolyfluanid	731-27-1	0.02
415.	賜諾特 J	Spinetoram J	187166-40-1	0.01	450.	trans-可氯丹	trans-Chlordane	5103-74-2	0.02
416.	賜諾特 L	Spinetoram L	187166-40-1	0.01	451.	三泰芬	Triadimefon	43121-43-3	0.02
417.	賜諾殺 A	Spinosad A	168316-95-8	0.01	452.	三泰隆	Triadimenol	55219-65-3	0.02
418.	賜諾殺 D	Spinosad D	168316-95-8	0.01	453.	Tri-allate	Tri-allate	2303-17-5	0.05
419.	賜派芬	Spirodiclofen	148477-71-8	0.02	454.	三落松	Triazophos	24017-47-8	0.02
420.	賜滅芬	Spiromesifen	283594-90-1	0.02	455.	Tribufos	Tribufos	78-48-8	0.05
421.	賜派滅	Spirotetramat	203313-25-1	0.02	456.	三氯松	Trichlorfon	52-68-6	0.02
422.	速殺氟	Sulfoxaflor	946578-00-3	0.02	457.	三賽唑	Tricyclazole	41814-78-2	0.02
423.	得克利	Tebuconazole	107534-96-3	0.02	458.	三得芬	Tridemorph	81412-43-3	0.05
424.	得芬諾	Tebufenozide	112410-23-8	0.02	459.	三地芬	Tridiphane	58138-08-2	0.02
425.	得芬瑞	Tebufenpyrad	119168-77-3	0.02	460.	三氟敏	Trifloxystrobin	141517-21-7	0.01
426.	得葡隆	Tebuthiuron	34014-18-1	0.05	461.	賽福座	Triflumizole	68694-11-1	0.02
427.	Tecnazene	Tecnazene	117-18-0	0.05	462.	三福林	Trifluralin	1582-09-8	0.02
428.	得福隆	Teflubenzuron	83121-18-0	0.02	463.	賽福寧	Triforine	26644-46-2	0.02
429.	Tefluthrin	Tefluthrin	79538-32-2	0.05	464.	Trinexapac-ethyl	Trinexapac-ethyl	95266-40-3	0.05
430.	得殺草	Tepaloxymid	149979-41-9	0.02	465.	單克素	Uniconazole	83657-17-4	0.01
431.	托福松	Terbufos	13071-79-9	0.01	466.	繁米松	Vamidithion	2275-23-2	0.02
432.	Terbutryn	Terbutryn	886-50-0	0.05	467.	免克寧	Vinclozolin	50471-44-8	0.02
433.	樂本松	Tetrachlorvinphos	22248-79-9	0.05	468.	滅克蟲	XMC	2655-14-3	0.02
434.	四克利	Tetraconazole	112281-77-3	0.02	469.	滅爾蟲	Xylylcarb	2425-10-7	0.02
435.	得脫蟻	Tetradifon	116-29-0	0.02	470.	座賽胺	Zoxamide	156052-68-5	0.02

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號 : FA/2018/12219A-01

報告日期 : 2018/01/22



樣品照片

FA/2018/12219



FA/2018/12219

本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
 平日建議置於冰箱冷藏，可避免米蟲產生
 米容易附着異味，請避免與味道濃烈之食品一起存放
 生米碰水會造成品質改變，存放時切勿沾到水
 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米
 品質規格：CNS二等
 碾製日期：標示於正面
 有效日期：標示於正面
 淨重：2.5公斤

此日期前最佳：日/月/年
 製造/負責廠商：億東企業股份有限公司
 電話：(02) 2297-7088
 公司地址：台北市10848萬華區西昌街142號8樓之5
 聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
 消費者服務專線：0800-097088
 (客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示		
每份淨重 80 公克 本包裝含 31 份		
	每份	每 100 公克
熱量	277.2 大卡	347 大卡
蛋白質	5.2 公克	6.5 公克
脂肪	0.4 公克	0.5 公克
飽和脂肪	0 公克	0.1 公克

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號： FA/2018/12219A-02
日期： 2018/01/22
頁數： 1 of 2



以下測試之樣品係由申請廠商所提供並確認資料如下：

產品名稱： 台梗九號
樣品狀態： 請參考報告末頁樣品照片
產品型號： —
產品批號： —
申請廠商： 億東企業股份有限公司
生產或供應廠商： 億東企業股份有限公司
製造日期： —
有效日期： 2018/12/19
原產地(國)： 台灣
收樣日期： 2018/01/11
測試日期： 2018/01/11

鼎泰豐小吃店股份有限公司	
檢驗報告判定章	
合格	不合格
合格 ✓	

測試結果：

測試項目	測試方法	測試結果	定量極限	單位
¹³¹ I	衛生福利部部授食字第1051900834 號公告訂定食品中放射性核種之檢驗方法分析之。	未檢出	10	貝克/公斤
¹³⁴ Cs		未檢出	10	貝克/公斤
¹³⁷ Cs		未檢出	10	貝克/公斤

備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。

- 本報告不得分離或擷錄使用。
- 低於定量極限之測定值以“未檢出”表示。
- 依據食品安全衛生管理法「食品中原子塵或放射能污染容許量標準」：
乳及乳製品、嬰兒食品中碘-131含量每公斤限值為55貝克，銈-134與銈-137之總含量每公斤限值為50貝克；
飲料及包裝水中碘-131含量每公斤限值為100貝克，銈-134與銈-137之總含量每公斤限值為10貝克；
其他食品中碘-131含量每公斤限值為100貝克，銈-134與銈-137之總含量每公斤限值為100貝克。
- 該檢測試驗委託國立清華大學原子科學技術發展中心放射性核種分析實驗室執行。

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



連結至SGS安心資訊平台
聯絡人：任志正 博士



此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

億東企業股份有限公司
新北市泰山區新五路一段116號

報告編號： FA/2018/12219A-02
日期： 2018/01/22
頁數： 2 of 2



樣品照片

FA/2018/12219



FA/2018/12219

· 本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
 · 平日建議置於冰箱冷藏，可避免米蟲產生
 · 米容易附著異味，請避免與味道濃烈之食品一起存放
 · 生米碰水會造成品質劣變，存放時切勿沾到水
 · 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米	此日期前最佳：日/月/年
品質規格：CNS二等	製造/負責廠商：億東企業股份有限公司
碾製日期：標示於正面	電話：(02) 2297-7088
有效日期：標示於正面	公司地址：台北市10848萬華區西昌街142號8樓之5
淨重：2.5公斤	聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
	消費者服務專線：0800-097088
	(客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示	
每份量 80公克	
本包裝含有 31份	
	每份 每100公克
熱量	277.2大卡 347大卡
蛋白質	5.2公克 6.5公克
脂肪	0.4公克 0.5公克

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽，凡電子文件之格式依<http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

Report No. : FA/2018/12219A-03
Date : 2018/01/27
Page : 1 of 3



THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS :

Product Name : Taiken 9
Sample condition : Please refer to the photos for sample shown at the last page of this report
Item No. : —
Lot. No. : —
Applicant : Yeedon Enterprise Corp.
Manufacturer/Vendor : Yeedon Enterprise Corp.
Manufacture Date : —
Expiry Date : 2018/12/19
Country of Origin : Taiwan
Sample Received : 2018/01/11
Testing Date : 2018/01/11

Test Results:

Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit	Food Sanitation Standard
★Lead (Pb)	Method Food NO.1031901151 Announced.Method of Test for Heavy Metals in Rice- Test of Lead and	N.D.	0.02	ppm(mg/kg)	≤0.2
★Cadmium (Cd)	Cadmium,Analysis was performed by ICPMS	N.D.	0.02	ppm(mg/kg)	≤0.4
★Mercury (Hg)	Method Food NO.1031901169 Announced. General Method of Test for Heavy Metals,Analysis was performed by ICPMS	N.D.	0.005	ppm(mg/kg)	≤0.05
Arsenic (As)	With reference to Method Food NO.1031901169 Announced. General Method of Test for Heavy Metals,Analysis was performed by ICPMS	0.09	0.01	ppm(mg/kg)	—

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



Link to SGS safety information platform
Contact person : Sonny Ren, Ph.D.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

Report No. : FA/2018/12219A-03
Date : 2018/01/22
Page : 2 of 3



Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit	Food Sanitation Standard
★Aflatoxins	---	---	---	---	---
★Aflatoxin B1	MOHWT0001.03 Method Food No.	N.D.	0.2	ppb(μg/kg)	≤10
★Aflatoxin B2	1041901616 Announced. Method of Test	N.D.	0.1	ppb(μg/kg)	
★Aflatoxin G1	for Mycotoxin in Foods - Test of Aflatoxins.	N.D.	0.2	ppb(μg/kg)	
★Aflatoxin G2	Analysis was performed by HPLC/FLR.	N.D.	0.1	ppb(μg/kg)	
★Ochratoxin A	MOHW Method Food No. 1031900979 Announced. Method of Test for Mycotoxin in Foods -Test of Ochratoxin A. Analysis was performed by HPLC/FLR.	N.D.	0.3	ppb(μg/kg)	≤5
Fuorescent Brightening Agent	MOHW Method Food No. 1021950329 Announced. Methods of Test for Fluorescent Whitening Agent In Food-Test of Diaminostilbene and Its Derivatives	N.D.	---	---	Not Detected

Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit	CNS 2425 Rice Quality Standard II (Maximum Limit)
Moisture	CNS 13500 Method of Test for Grains - Moisture Contents of Cereals.	14.5	0.1	%	15
Impurities	CNS 2425 Milled rice.	0.0	---	%	0.2
Paddy		0.0	---	%	0.0
Brown Rice		0.0	---	%	0.0
Damaged kernel and Chalky kernel		3	---	%	15
Damaged Kernels		0	---	%	3
Heat Damaged Kernels		0.0	---	%	0.3
Off-type Kernels		0	---	%	4
Broken Kernels		8	---	%	10

Note : 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.

- The report is in vain if it is partly reproduced or used.
- If the testing item belongs to quantitative analysis then this column describes Limit of Quantification(LOQ); If the testing item belongs to qualitative analysis then this column describes Limit of Detection(LOD).
- The testing result will be "N.D." or Negative for Limit of Quantification and Limit of Detection, respectively.
- The testing items having been accredited by MOHW are added with a mark "★".
- This testing item (Moisture and CNS 2425 Milled rice.) was performed by SGS Food Laboratory-Taichung.

- END -

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

Report No. : FA/2018/12219A-03
Date : 2018/01/22
Page : 3 of 3



Sample Photo

FA/2018/12219



FA/2018/12219

· 本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
 · 平日建議置於冰箱冷藏，可避免米蟲產生
 · 米容易附著異味，請避免與味道濃烈之食品一起存放
 · 生米碰水會造成品質劣變，存放時切勿沾到水
 · 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米
 品質規格：CNS二等
 碾製日期：標示於正面
 有效日期：標示於正面
 淨重：2.5公斤

此日期前最佳：日/月/年
 製造/負責廠商：億東企業股份有限公司
 電話：(02) 2297-7088
 公司地址：台北市10848萬華區西昌街142號8樓之5
 聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
 消費者服務專線：0800-097088
 (客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示		
每份量 80 公克 本包裝含 31 份		
	每份	每100公克
熱量	277 大卡	347 大卡
蛋白質	5.2 公克	6.5 公克
脂肪	0.4 公克	0.5 公克
飽和脂肪	0 公克	0.1 公克

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

REPORT NO. : FA/2018/12219A-04

Date : 2018/01/22



The following sample(s) was/were submitted and identified by/on behalf of client as:

Type of Product : Taiken 9
Sample condition : Please refer to the photos for sample shown at the last page of this report
Item No. : —
Lot. No. : —
Applicant : Yeedon Enterprise Corp.
Manufacturer/Vendor : Yeedon Enterprise Corp.
Manufacture Date : —
Expiry Date : 2018/12/19
Country of Origin : Taiwan
Date of Sample Received : 2018/01/11
Date of Testing : 2018/01/11
Test Requested : Determination of the pesticides
Test Method : With reference to AOAC Official Method 2007.01:Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, Analysis were performed by GC/MS/MS and LC/MS/MS.
Test Results : The sample was tested for 470 pesticides, and those results greater than or equal to the Limit of Quantification are summarized in the following table.

Test Item	Test Results ppm(mg/kg)	LOQ ppm(mg/kg)	Taiwan MRL ppm(mg/kg)
Imidacloprid	0.02	0.02	0.2

- Note : 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.
 2. The report is in vain if it is partly reproduced or used.
 3. The test result over LOQ is summarized in the table. All test items and LOQ are listed in appendix.
 4. "*" Indicates lower limit of analytical determination of announced test method.
 Please refer to the latest announcement if there is a test method revision.
 5. There are 373 testing items shown in the appendix which refer to MOHW Food No. 1061901690 Method of Test for Pesticide Residues in Food-Multi-Residue Analysis(5).
 6. The report is for risk management/export use only.

- END -

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



Link to SGS safety information platform
Contact person : Sonny Ren, Ph.D.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Appendix

REPORT NO: FA/2016/T2219A-04

Date : 2016/01/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
1.	2,3,5,6-Tetrachloroaniline	3481-20-7	0.05	41.	Bentazone	25057-89-0	0.02
2.	2,6-DIPN	24157-81-1	0.02	42.	Benthiazole	21564-17-0	0.02
3.	2-Phenylphenol	90-43-7	0.02	43.	α-BHC	319-84-6	0.02
4.	3-keto Carbofuran	16709-30-1	0.02	44.	β-BHC	319-85-7	0.02
5.	3-OH carbofuran	16655-82-6	0.02	45.	δ-BHC	319-86-8	0.02
6.	Abamectin	71751-41-2	0.01	46.	Bifenazate	149877-41-8	0.02
7.	Acephate	30560-19-1	0.02	47.	Bifenox	42576-02-3	0.02
8.	Acequinocyl	57960-19-7	0.05	48.	Bifenthrin	82657-04-3	0.02
9.	Acequinocyl-hydroxyl	57960-31-3	0.02	49.	Bioresmethrin	28434-01-7	0.05
10.	Acetamiprid	135410-20-7	0.02	50.	Bitertanol	55179-31-2	0.02
11.	Acetochlor	34256-82-1	0.02	51.	Boscalid	188425-85-6	0.02
12.	Acibenzolar-S-methyl	135158-54-2	0.02	52.	Bromacil	314-40-9	0.02
13.	Acifluorfen	50594-66-6	0.02	53.	Bromobutide	74712-19-9	0.05
14.	Acrinathrin	101007-06-1	0.02	54.	Bromophos-ethyl	4824-78-6	0.02
15.	Alachlor	15972-60-8	0.02	55.	Bromophos-methyl	2104-96-3	0.02
16.	Alanycarb	83130-01-2	0.02	56.	Bromopropylate	18181-80-1	0.02
17.	Aldicarb	116-06-3	0.02	57.	Bromuconazole	116255-48-2	0.02
18.	Aldicarb sulfone	1646-88-4	0.02	58.	Bufen carb	8065-36-9	0.01
19.	Aldicarb sulfoxide	1646-87-3	0.02	59.	Bupirimate	41483-43-6	0.02
20.	Aldrin	309-00-2	0.02	60.	Buprofezin	69327-76-0	0.02
21.	Allethrin	584-79-2	0.1	61.	Butachlor	23184-66-9	0.02
22.	Alloxydim(sodium)	55635-13-7	0.02	62.	Butafenacil	134605-64-4	0.02
23.	Alphacypermethrin	67375-30-8	0.03	63.	Butocarboxim	34681-10-2	0.02
24.	Ametoctradin	865318-97-4	0.02	64.	Butralin	33629-47-9	0.02
25.	Ametryn	834-12-8	0.02	65.	Cadusafos	95465-99-9	0.02
26.	Amisulbrom	348635-87-0	0.03	66.	Carbaryl	63-25-2	0.02
27.	Amitraz	33089-61-1	0.02	67.	Carbendazim	10605-21-7	0.02
28.	Aramite	140-57-8	0.05	68.	Carbofuran	1563-66-2	0.02
29.	Asulam	3337-71-1	0.02	69.	Carbophenothion	786-19-6	0.02
30.	Atrazine	1912-24-9	0.02	70.	Carbosulfan	55285-14-8	0.02
31.	Azaconazole	60207-31-0	0.05	71.	Carboxin	5234-68-4	0.05
32.	Azimsulfuron	120162-55-2	0.02	72.	Carfentrazone-ethyl	128639-02-1	0.02
33.	Azinphos-methyl	86-50-0	0.02	73.	Carpropamid	104030-54-8	0.02
34.	Azoxystrobin	131860-33-8	0.01	74.	Chinomethionat	2439-01-2	0.02
35.	Benalaxyl	71626-11-4	0.02	75.	Chlorantraniliprole	500008-45-7	0.02
36.	Bendiocarb	22781-23-3	0.02	76.	Chlorbenside	103-17-3	0.05
37.	Benfluralin	1861-40-1	0.02	77.	Chlorbufam	1967-16-4	0.02
38.	Benfuracarb	82560-54-1	0.02	78.	Chlorfenapyr	122453-73-0	0.02
39.	Benoxacor	98730-04-2	0.05	79.	Chlorfenson	80-33-1	0.05
40.	Bensulfuron-methyl	83055-99-6	0.02	80.	Chlorfenvinphos	470-90-6	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Appendix

REPORT NO: FA/2018/T2219A-04

Date : 2018/01/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
81.	Chlorfluazuron	71422-67-8	0.02	121.	Cyproconazole	94361-06-5	0.02
82.	Chloropropylate	5836-10-2	0.02	122.	Cyprodinil	121552-61-2	0.01
83.	Chlorothalonil	1897-45-6	0.04	123.	o,p'-DDD	53-19-0	0.02
84.	Chloroxuron	1982-47-4	0.02	124.	o,p'-DDE	3424-82-6	0.02
85.	Chlorpropham	101-21-3	0.02	125.	o,p'-DDT	789-02-6	0.02
86.	Chlorpyrifos	2921-88-2	0.02	126.	p,p'-DDD	72-54-8	0.02
87.	Chlorpyrifos-methyl	5598-13-0	0.02	127.	p,p'-DDE	72-55-9	0.02
88.	Chlorthal-dimethyl	1861-32-1	0.02	128.	p,p'-DDT	50-29-3	0.02
89.	Chlorthiophos	60238-56-4	0.05	129.	Deguelin	522-17-8	0.02
90.	Chlozolinat	84332-86-5	0.02	130.	Deltamethrin	52918-63-5	0.02
91.	Chromafenozide	143807-66-3	0.02	131.	Demeton O&S	8065-48-3	0.02
92.	Cinern I	8003-34-7	0.02	132.	Demeton-S-methyl	919-86-8	0.02
93.	Cinern II	8003-34-7	0.02	133.	Diallate	2303-16-4	0.05
94.	Cinidon-ethyl	142891-20-1	0.02	134.	Diazinon	333-41-5	0.02
95.	Cinosulfuron	94593-91-6	0.02	135.	Dichlorfenthion	97-17-6	0.05
96.	cis-Chlordane	5103-71-9	0.02	136.	Dichlorimid	37764-25-3	0.05
97.	Clethodim	99129-21-2	0.02	137.	Dichlorprop	120-36-5	0.02
98.	Clofentezine	74115-24-5	0.02	138.	Dichlorvos	62-73-7	0.02
99.	Clomazone	81777-89-1	0.02	139.	Diclofop-methyl	51338-27-3	0.05
100.	Clomeprop	84496-56-0	0.02	140.	Diclomezine	62865-36-5	0.02
101.	Clothianidin	210880-92-5	0.02	141.	Dicloran	99-30-9	0.02
102.	Coumaphos	56-72-4	0.05	142.	Dicofol	115-32-2	0.02
103.	CPMC	3942-54-9	0.02	143.	Dicrotophos	141-66-2	0.02
104.	Cyanazine	21725-46-2	0.02	144.	Dieldrin	60-57-1	0.02
105.	Cyanofenphos	13067-93-1	0.02	145.	Diethofencarb	87130-20-9	0.05
106.	Cyanophos	2636-26-2	0.02	146.	Difenoconazole	119446-68-3	0.02
107.	Cyantraniliprole	736994-63-1	0.02	147.	Diflubenzuron	35367-38-5	0.01
108.	Cyazofamid	120116-88-3	0.02	148.	Diflufenican	83164-33-4	0.05
109.	Cycloprothrin	63935-38-6	0.02	149.	Dimepiperate	61432-55-1	0.05
110.	Cyclosulfamuron	136849-15-5	0.02	150.	Dimethametryn	22936-75-0	0.05
111.	Cycloxydim	101205-02-1	0.02	151.	Dimethenamid	87674-68-8	0.02
112.	Cyenopyrafen	560121-52-0	0.02	152.	Dimethipin	55290-64-7	0.02
113.	Cyflufenamid	180409-60-3	0.02	153.	Dimethoate	60-51-5	0.02
114.	Cyflumetofen	400882-07-7	0.02	154.	Dimethomorph	110488-70-5	0.02
115.	Cyfluthrin	68359-37-5	0.02	155.	Diniconazole	83657-24-3	0.02
116.	Cyhalofop-butyl	122008-85-9	0.02	156.	Dinitramine	29091-05-2	0.02
117.	Cyhalothrin	91465-08-6	0.02	157.	Dinotefuran	165252-70-0	0.02
118.	Cymoxanil	57966-95-7	0.02	158.	Diofenolan	63837-33-2	0.05
119.	Cypermethrin	52315-07-8	0.03	159.	Dioxathion	78-34-2	0.02
120.	Cyphenothrin	39515-40-7	0.05	160.	Diphenamid	957-51-7	0.02

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Appendix

REPORT NO: FA/2018/12219A-04

Date : 2018/01/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
161.	Diphenylamine	122-39-4	0.02	201.	Fenoxycarb	79127-80-3	0.02
162.	Disulfoton	298-04-4	0.02	202.	Fenpropathrin	39515-41-8	0.02
163.	Ditalimfos	5131-24-8	0.02	203.	Fenpropimorph	67564-91-4	0.02
164.	Dithiopyr	97886-45-8	0.02	204.	Fenpyrazamine	473798-59-3	0.01
165.	Diuron	330-54-1	0.02	205.	Fenpyroximate	134098-61-6	0.02
166.	Dymron	42609-52-9	0.02	206.	Fensulfothion	115-90-2	0.02
167.	Edifenphos	17109-49-8	0.02	207.	Fenthion	55-38-9	0.01
168.	Emamectin benzoate B1a	155569-91-8	0.02	208.	Fenvalerate	51630-58-1	0.02
169.	Emamectin benzoate B1b	155569-91-8	0.02	209.	Ferimzone	89269-64-7	0.02
170.	α-Endosulfan	959-98-8	0.02	210.	Fipronil	120068-37-3	0.001
171.	β-Endosulfan	33213-65-9	0.02	211.	Fipronil sulfide	120067-83-6	0.02
172.	Endosulfan sulfate	1031-07-8	0.02	212.	Fipronil desulfanyl	205650-65-3	0.02
173.	Endrin	72-20-8	0.02	213.	Fipronil sulfone	120068-36-2	0.02
174.	EPN	2104-64-5	0.02	214.	Flamprop-methyl	52756-25-9	0.05
175.	Epoconazole	133855-98-8	0.02	215.	Flazasulfuron	104040-78-0	0.02
176.	Esfenvalerate	66230-04-4	0.02	216.	Flonicamid	158062-67-0	0.02
177.	Etaconazole	60207-93-4	0.05	217.	Fluacrypyrim	229977-93-9	0.05
178.	Ethalfuralin	55283-68-6	0.05	218.	Fluazifop-P-butyl	69806-50-4	0.02
179.	Ethiofencarb	29973-13-5	0.02	219.	Fluazinam	79622-59-6	0.02
180.	Ethion	563-12-2	0.02	220.	Flubendiamide	272451-65-7	0.02
181.	Ethiprole	181587-01-9	0.02	221.	Flucythrinate	70124-77-5	0.02
182.	Ethirimol	23947-60-6	0.02	222.	Fludioxonil	131341-86-1	0.02
183.	Ethoprophos	13194-48-4	0.01	223.	Fluensulfone	318290-98-1	0.02
184.	Etofenprox	80844-07-1	0.02	224.	Flufenoxuron	101463-69-8	0.02
185.	Etoazole	153233-91-1	0.02	225.	Flumethrin	69770-45-2	0.05
186.	Etridiazole	2593-15-9	0.02	226.	Fluopicolide	239110-15-7	0.02
187.	Etrifos	38260-54-7	0.02	227.	Fluopyram	658066-35-4	0.02
188.	Famoxadone	131807-57-3	0.02	228.	Fluoroglycofen-ethyl	77501-90-7	0.05
189.	Fenamiphos	22224-92-6	0.01	229.	Flupyradifurone	951659-40-8	0.02
190.	Fenarimol	60168-88-9	0.02	230.	Fluquinconazole	136426-54-5	0.05
191.	Fenazaquin	120928-09-8	0.02	231.	Fluroxypyr-meptyl	81406-37-3	0.02
192.	Fenbuconazole	114369-43-6	0.02	232.	Flurtamone	96525-23-4	0.02
193.	Fenbutatin-oxide	13356-08-6	0.02	233.	Flusilazole	85509-19-9	0.02
194.	Fenchlorphos	299-84-3	0.05	234.	Flutolanil	66332-96-5	0.02
195.	Fenhexamid	126833-17-8	0.02	235.	Flutriafol	76674-21-0	0.02
196.	Fenitrothion	122-14-5	0.02	236.	Fluvalinate	102851-06-9	0.02
197.	Fenobucarb	3766-81-2	0.02	237.	Fluxapyroxad	907204-31-3	0.02
198.	Fenothiocarb	62850-32-2	0.02	238.	Folpet	133-07-3	0.04
199.	Fenoxanil	115852-48-7	0.02	239.	Fonofos	944-22-9	0.02
200.	Fenoxaprop-ethyl	66441-23-4	0.02	240.	Formetanate	23422-53-9	0.02

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Appendix

REPORT NO: FA/2018/12219A-04

Date : 2018/07/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
241.	Formothion	2540-82-1	0.02	281.	Lindane	58-89-9	0.02
242.	Fosthiazate	98886-44-3	0.02	282.	Linuron	330-55-2	0.02
243.	Fthalide	27355-22-2	0.02	283.	Lufenuron	103055-07-8	0.02
244.	Furametypr	123572-88-3	0.02	284.	Malaoxon	1634-78-2	0.05
245.	Furathiocarb	65907-30-4	0.02	285.	Malathion	121-75-5	0.02
246.	Halfenprox	111872-58-3	0.02	286.	Mandipropamid	374726-62-2	0.02
247.	Haloxypop-methyl	69806-40-2	0.02	287.	Mecarbam	2595-54-2	0.02
248.	Heptachlor	76-44-8	0.04	288.	Mefenacet	73250-68-7	0.02
249.	Heptachlor epoxide	1024-57-3	0.02	289.	Mepanipyrim	110235-47-7	0.02
250.	Heptenophos	23560-59-0	0.02	290.	Mephosfolan	950-10-7	0.02
251.	Hexachlorobenzene	118-74-1	0.02	291.	Mepronil	55814-41-0	0.02
252.	Hexaconazole	79983-71-4	0.02	292.	Metaflumizon	139968-49-3	0.02
253.	Hexaflumuron	86479-06-3	0.05	293.	Metafaxy	57837-19-1	0.02
254.	Hexazinone	51235-04-2	0.02	294.	Metazachlor	67129-08-2	0.02
255.	Hexythiazox	78587-05-0	0.02	295.	Mefconazole	125116-23-6	0.02
256.	Imazalil	35554-44-0	0.01	296.	Methacrifos	62610-77-9	0.02
257.	Imazamethabenz-methyl	81405-85-8	0.05	297.	Methamidophos	10265-92-6	0.02
258.	Imibenconazole	86598-92-7	0.04	298.	Methidathion	950-37-8	0.02
259.	Imidacloprid	138261-41-3	0.02	299.	Methiocarb	2032-65-7	0.02
260.	Imidaclothiz	105843-36-5	0.02	300.	Methomyl	16752-77-5	0.02
261.	Indoxacarb	173584-44-6	0.01	301.	Methoprene	40596-69-8	0.02
262.	Iprobenfos	26087-47-8	0.02	302.	Methoxychlor	72-43-5	0.05
263.	Iprodione	36734-19-7	0.02	303.	Methoxyfenozide	161050-58-4	0.01
264.	Iprovalicarb	140923-17-7	0.02	304.	Methyl pentachlorophenyl sulfide	1825-19-0	0.02
265.	Isazofos	42509-80-8	0.02	305.	Metobromuron	3060-89-7	0.02
266.	Isocarbophos	24353-61-5	0.05	306.	Metolachlor	51218-45-2	0.02
267.	Isofenphos	25311-71-1	0.02	307.	Metolcarb	1129-41-5	0.02
268.	Isofenphos-methyl	99675-03-3	0.02	308.	Metrafenone	220899-03-6	0.02
269.	Isoprocarb	2631-40-5	0.02	309.	Metribuzin	21087-64-9	0.02
270.	Isoprothiolane	50512-35-1	0.02	310.	Mevinphos	7786-34-7	0.02
271.	Isopyrazam	881685-58-1	0.02	311.	Mirex	2385-85-5	0.04
272.	Isotianil	224049-04-1	0.02	312.	Molinate	2212-67-1	0.02
273.	Isouron	55861-78-4	0.02	313.	Monocrotophos	6923-22-4	0.01
274.	Isoxaflutole	141112-29-0	0.02	314.	Monolinuron	1746-81-2	0.02
275.	Isoxathion	18854-01-8	0.02	315.	Myclobutanil	88671-89-0	0.02
276.	Jasmolin I	8003-34-7	0.02	316.	Napropamide	15299-99-7	0.02
277.	Jasmolin II	8003-34-7	0.02	317.	Nitrothal-isopropyl	10552-74-6	0.05
278.	Jodfenphos	18181-70-9	0.05	318.	Norflurazon	27314-13-2	0.02
279.	Kresoxim-methyl	143390-89-0	0.02	319.	Novaluron	116714-46-6	0.02
280.	Leptophos	21609-90-5	0.05	320.	Nuarimol	63284-71-9	0.02

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Appendix

REPORT NO: FA/2018/12219A-04

Date : 2018/10/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
321.	Octachlorostyrene	29082-74-4	0.05	361.	Prallethrin	23031-36-9	0.02
322.	Omethoate	1113-02-6	0.02	362.	Pretilachlor	51218-49-6	0.02
323.	Oryzalin	19044-88-3	0.05	363.	Probenazole	27605-76-1	0.02
324.	Oxadiazon	19666-30-9	0.02	364.	Prochloraz	67747-09-5	0.02
325.	Oxadixyl	77732-09-3	0.02	365.	Procymidone	32809-16-8	0.02
326.	Oxamyl	23135-22-0	0.01	366.	Profenophos	41198-08-7	0.02
327.	Oxycarboxin	5259-88-1	0.02	367.	Promecarb	2631-37-0	0.02
328.	Oxychlorane	27304-13-8	0.05	368.	Prometryn	7287-19-6	0.02
329.	Oxydemeton-Methyl	301-12-2	0.02	369.	Propachlor	1918-16-7	0.05
330.	Oxyfluorfen	42874-03-3	0.02	370.	Propamocarb hydrochloride	25606-41-1	0.02
331.	Paclobutrazol	76738-62-0	0.02	371.	Propanil	709-98-8	0.02
332.	Paraoxon	311-45-5	0.05	372.	Propaphos	7292-16-2	0.02
333.	Parathion	56-38-2	0.02	373.	Propargite	2312-35-8	0.02
334.	Parathion-methyl	298-00-0	0.02	374.	Propazine	139-40-2	0.01
335.	Penconazole	66246-88-6	0.02	375.	Propham	122-42-9	0.02
336.	Pencycuron	66063-05-6	0.02	376.	Propiconazole	60207-90-1	0.02
337.	Pendimethalin	40487-42-1	0.02	377.	Propoxur	114-26-1	0.02
338.	Penflufen	494793-67-8	0.02	378.	Propyzamide	23950-58-5	0.05
339.	Penoxsulam	219714-96-2	0.01	379.	Proquinazid	189278-12-4	0.02
340.	Pentachloroaniline	527-20-8	0.02	380.	Prosulfocarb	52888-80-9	0.02
341.	Pentachloroanisole	1825-21-4	0.05	381.	Prothiofos	34643-46-4	0.02
342.	Pentachlorobenzene	608-93-5	0.05	382.	Prothoate	2275-18-5	0.02
343.	Penthiopyrad	183675-82-3	0.02	383.	Pymetrozine	123312-89-0	0.01
344.	Permethrin	52645-53-1	0.02	384.	Pyraclufos	77458-01-6	0.02
345.	Phenothiol	25319-90-8	0.02	385.	Pyraclostrobin	175013-18-0	0.01
346.	Phenothrin	26002-80-2	0.02	386.	Pyraflufen-ethyl	129630-19-9	0.02
347.	Phenthoate	2597-03-7	0.02	387.	Pyrazophos	13457-18-6	0.02
348.	Phorate	298-02-2	0.02	388.	Pyrazosulfuron-ethyl	93697-74-6	0.02
349.	Phosalone	2310-17-0	0.02	389.	Pyrethrin I	8003-34-7	0.02
350.	Phosfolan	947-02-4	0.02	390.	Pyrethrin II	8003-34-7	0.02
351.	Phosfolan-methyl	5120-23-0	0.02	391.	Pyribencarb	799247-52-2	0.02
352.	Phosmet	732-11-6	0.02	392.	Pyridaben	96489-71-3	0.02
353.	Phosphamidon	13171-21-6	0.02	393.	Pyridaphenthion	119-12-0	0.02
354.	Phoxim	14816-18-3	0.02	394.	Pyridate	55512-33-9	0.02
355.	Picolinafen	137641-05-5	0.05	395.	Pyrifenox	88283-41-4	0.02
356.	Piperonyl butoxide	51-03-6	0.02	396.	Pyriproxyfen	337458-27-2	0.02
357.	Piperophos	24151-93-7	0.05	397.	Pyritalid	135186-78-6	0.02
358.	Pirimicarb	23103-98-2	0.02	398.	Pyrimethanil	53112-28-0	0.04
359.	Pirimiphos-ethyl	23505-41-1	0.02	399.	Pyrimidifen	105779-78-0	0.02
360.	Pirimiphos-methyl	29232-93-7	0.02	400.	Pyriproxyfen	95737-68-1	0.01

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Appendix

REPORT NO: FA/2018/12219A-04

Date : 2018/07/22

Test items & LOQ List :

unit : ppm(mg/kg)

NO.	Test Item	CAS NO.	LOQ	NO.	Test Item	CAS NO.	LOQ
401.	Pyroquilon	57369-32-1	0.02	436.	Tetramethrin	7696-12-0	0.02
402.	Quinalphos	13593-03-8	0.02	437.	Thenylchlor	96491-05-3	0.02
403.	Quinoxifen	124495-18-7	0.02	438.	Thiabendazole	148-79-8	0.02
404.	Quintozene(PCNB)	82-68-8	0.02	439.	Thiacloprid	111988-49-9	0.02
405.	Quizalofop-ethyl	76578-14-8	0.02	440.	Thiamethoxam	153719-23-4	0.01
406.	Rotenone	83-79-4	0.02	441.	Thifluzamide	130000-40-7	0.02
407.	Saflufenacil	372137-35-4	0.02	442.	Thiobencarb	28249-77-6	0.02
408.	Salithion	3811-49-2	0.02	443.	Thiodicarb	59669-26-0	0.02
409.	s-Bioallethrin	28434-00-6	0.1	444.	Thiofanox	39196-18-4	0.02
410.	Sedaxane	874967-67-6	0.02	445.	Thiometon	640-15-3	0.02
411.	Sethoxydim	74051-80-2	0.02	446.	Thiophanate-methyl	23564-05-8	0.02
412.	Silafluofen	105024-66-6	0.02	447.	Tolclofos-methyl	57018-04-9	0.02
413.	Simazine	122-34-9	0.02	448.	Tolfenpyrad	129558-76-5	0.02
414.	Simeconazole	149508-90-7	0.05	449.	Tolyfluanid	731-27-1	0.02
415.	Spinetoram J	187166-40-1	0.01	450.	trans-Chlordane	5103-74-2	0.02
416.	Spinetoram L	187166-40-1	0.01	451.	Triadimefon	43121-43-3	0.02
417.	Spinosad A	168316-95-8	0.01	452.	Triadimenol	55219-65-3	0.02
418.	Spinosad D	168316-95-8	0.01	453.	Tri-allate	2303-17-5	0.05
419.	Spirodiclofen	148477-71-8	0.02	454.	Triazophos	24017-47-8	0.02
420.	Spiromesifen	283594-90-1	0.02	455.	Tribufos	78-48-8	0.05
421.	Spirotetramat	203313-25-1	0.02	456.	Trichlorfon	52-68-6	0.02
422.	Sulfoxaflor	946578-00-3	0.02	457.	Tricyclazole	41814-78-2	0.02
423.	Tebuconazole	107534-96-3	0.02	458.	Tridemorph	81412-43-3	0.05
424.	Tebufenozide	112410-23-8	0.02	459.	Tridiphane	58138-08-2	0.02
425.	Tebufenpyrad	119168-77-3	0.02	460.	Trifloxystrobin	141517-21-7	0.01
426.	Tebuthiuron	34014-18-1	0.05	461.	Triflumizole	68694-11-1	0.02
427.	Tecnazene	117-18-0	0.05	462.	Trifluralin	1582-09-8	0.02
428.	Teflubenzuron	83121-18-0	0.02	463.	Triforine	26644-46-2	0.02
429.	Tefluthrin	79538-32-2	0.05	464.	Trinexapac-ethyl	95266-40-3	0.05
430.	Tepraloxydim	149979-41-9	0.02	465.	Uniconazole	83657-17-4	0.01
431.	Terbufos	13071-79-9	0.01	466.	Vamidothion	2275-23-2	0.02
432.	Terbutryn	886-50-0	0.05	467.	Vinclozolin	50471-44-8	0.02
433.	Tetrachlorvinphos	22248-79-9	0.05	468.	XMC	2655-14-3	0.02
434.	Tetraconazole	112281-77-3	0.02	469.	Xylylcarb	2425-10-7	0.02
435.	Tetradifon	116-29-0	0.02	470.	Zoxamide	156052-68-5	0.02

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

REPORT NO : FA/2018/12219A-04

Date : 2018/01/22



Sample Photo

FA/2018/12219



FA/2018/12219

· 本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
· 平日建議置於冰箱冷藏，可避免米蟲產生
· 米容易附着異味，請避免與味道濃烈之食品一起存放
· 生米碰水會造成品質劣變，存放時切勿沾到水
· 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米 此日期前最佳：日/月/年
品質規格：CNS二等 製造/負責廠商：億東企業股份有限公司
電話：(02) 2297-7088
碾製日期：標示於正面 公司地址：台北市10848萬華區西昌街142號8樓之5
有效日期：標示於正面 聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
淨重：2.5公斤 消費者服務專線：0800-097088
(客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示		
每份重 80 公克 每包重含 31 份		
	每份	每100公克
熱量	277.2大卡	347大卡
蛋白質	5.2 公克	6.5 公克
脂肪	0.4 公克	0.5 公克
飽和脂肪	0 公克	0.1 公克

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

Report No. : FA/2018/12219A-05
Date : 2018/01/22
Page : 1 of 2



THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS:

Product Name : Taiken 9
Sample condition : Please refer to the photos for sample shown at the last page of this report
Item No. : —
Lot. No. : —
Applicant : Yeedon Enterprise Corp.
Manufacturer/Vendor : Yeedon Enterprise Corp.
Manufacture Date : —
Expiry Date : 2018/12/19
Country of Origin : Taiwan
Sample Received : 2018/01/11
Testing Date : 2018/01/11

Test Results :

Test Item	Test Method	Results	LOQ	Unit
¹³¹ I	MOHW Food No. 1051900834 Announced. Method of Test of Radionuclides in Foods.	N.D.	10	Bq/kg
¹³⁴ Cs		N.D.	10	Bq/kg
¹³⁷ Cs		N.D.	10	Bq/kg

Note : 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.

- The report is in vain if it is partly reproduced or used.
- "ND"(Not detected) means the test data mentioned on the report is lower than the Limit of Quantification(LOQ)
- According to "Standards for the Tolerance of Atomic Dust and Radioactivity Contamination in Foods" in Act Governing Food Safety and Sanitation: For dairy and dairy products and infant food, the maximum value of iodine-¹³¹ is 55 Bq/kg. The maximum value of caesium-¹³⁴ and caesium-¹³⁷ is 50 Bq/kg. For beverages and packaged water, the maximum value of iodine-¹³¹ is 100 Bq/kg. The maximum value of caesium-134 and caesium-¹³⁷ is 10 Bq/kg. For other foods, the maximum value of iodine-¹³¹ is 100 Bq/kg. The maximum value of caesium-¹³⁴ and caesium-¹³⁷ is 100 Bq/kg.
- This test was performed in Nuclear Science & Technology Development Center Under National Tsing Hua University.

- END -

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



Link to SGS safety information platform
Contact person : Sonny Ren, Ph.D.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Yeedon Enterprise Corp.
No.116, Sec. 1, Xin 5th Rd., Taishan Dist., New Taipei City,
Taiwan (R.O.C.)

Report No. : FA/2018/12219A-05

Date : 2018/01/22

Page : 2 of 2



Sample Photo

FA/2018/12219



FA/2018/12219

• 本產品屬自然產物，無添加防腐劑，請趁早食用完畢以確保新鮮美味
• 平日建議置於冰箱冷藏，可避免米蟲產生
• 米容易附著異味，請避免與味道濃烈之食品一起存放
• 生米碰水會造成品質劣變，存放時切勿沾到水
• 一般儲存建議置於陰涼處，避免溫暖、潮濕與太陽直射的環境

品名：白米
品質規格：CNS二等
碾製日期：標示於正面
有效日期：標示於正面
淨重：2.5公斤

此日期前最佳：日/月/年
製造/負責廠商：億東企業股份有限公司
電話：(02)2297-7088
公司地址：台北市10848萬華區西昌街142號8樓之5
聯絡地址：雲林縣64865西螺鎮福田里社口68之39號
消費者服務專線：0800-097088
(客服專線服務時間為週一至週五08:30-12:00、13:30-17:30)

營養標示		
每份 每100公克		
熱量	277大卡	347大卡
蛋白質	5.2公克	6.5公克
脂肪	0.4公克	0.5公克
飽和脂肪	0公克	0.1公克

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.